



## HID Global Corporation Physical Access Control Price Book

**Company Name:**

0

**Customer Number:**

0

1. This Price Book lists HID Global Corporation's ("HID") List Prices for HID products and services available to its customers.
2. All prices in this Price Book are subject to change without notice.
3. HID is not responsible for any typographical errors.
4. All trademarks and registered trademarks in this Price Book are the properties of their respective owners.
5. All sales of HID products and services listed in this Price Book are subject to the terms of the HID General Sales Policy, which is available at <http://www.hidglobal.com/GlobalPolicies> and incorporated by reference.
6. Purchase orders shall be delivered to HID by means of fax, mail service, or electronic means, and are subject to acceptance by HID.
7. Each order submitted to HID shall contain the following information:
  - The identification of HID Product by name, part number, quantity, price, any claimed discount, as well as all relevant information necessary to describe standard service or the Services Agreement under which custom services are to be made available to YOU by HID;
  - Shipment instructions, including destination and any special terms, including requested delivery dates; and
  - YOUR name, address, phone number, and account number.
8. Upon acceptance of YOUR order by HID, YOU will receive an order confirmation by email or facsimile.
9. HID is pleased to announce that its Priority Plus Card Service is free of charge to all direct HID customers (where available.)
10. Confidential & Proprietary © 2014 HID Global Corporation. All rights reserved. This document and the information contained herein may not be distributed or published without the express authorization of HID Global.



**Physical Access Control Price Book**  
**Currency: USD**

**Company Name:**  
0

**Customer Number:**  
0

**Table of Contents**

<b>Technology</b>	<b>Price Code</b>	<b>Section</b>	<b>Your % Discount</b>
<b><u>13.56 MHz Contactless Smart Technology Products</u></b>			
iCLASS® SE™ and iCLASS Readers	IR	1.0	Contact RSM*
iCLASS / iCLASS SE and Other 13.56 MHz Credential Combinations	IC	1.1	Contact RSM*
iCLASS and iCLASS SE Clamshell Card	ID	1.1	Contact RSM*
HID Credential Programmers	IP	1.3A	Refer to Price Sheet
Credential Credits	AC	1.3B	Contact RSM*
HID FlexSmart MIFARE™/DESFire™ Readers	MC	1.4	Contact RSM*
HID MIFARE/DESFire Credentials	MD	1.4	Contact RSM*
SmartID® MIFARE/DESFire Readers	ME	1.4	Contact RSM*
SmartID MIFARE/DESFire Keypad Readers	MF	1.4	Contact RSM*
Crescendo Products	LC	E2.0	Contact RSM*
13.56 MHz Accessories	AC	1.5	Contact RSM*
<b><u>125 kHz Proximity Products</u></b>			
Proximity Readers - Category RA	RA	2.0	Contact RSM*
Proximity Readers - Category RB	RB	2.0	Contact RSM*
Proximity Readers - Category RC	RC	2.0	Contact RSM*
Proximity Readers - Category RD	RD	2.0	Contact RSM*
Proximity Readers - Category RE	RE	2.0	Contact RSM*
Proximity Credentials	PC	2.1	Contact RSM*
Indala Proximity Credentials	LW	2.3	Contact RSM*
Indala Proximity Readers	LV	2.3	Contact RSM*
Proximity Accessories	AC	2.5	Contact RSM*
<b><u>Magnetic Stripe Products</u></b>			
Magnetic Stripe Credentials, Readers and Accessories	MS	4.0	Contact RSM*
<b><u>Other Products</u></b>			
Credential Printing and Security Features	AC	6.1	Refer to Price Sheet
<b>Networked Access Solutions: Edge™ Solo</b>	VS	7.0	Contact RSM*
Professional Services	PS	9.0	Contact RSM*

**Notes: TOC Rev. 0114**

- Prices are in U.S. dollars. Taxes and shipping not included.

\* RSM = Regional Sales Manager.

© HID Global Corporation. All rights reserved.

(NM)



1.0 - iCLASS SE™ and multiCLASS SE™ 13.56 MHz Contactless Smart Card Readers

"Orderable Options" that apply to various reader models appear in the chart at the bottom, ensure that you have added the "Orderable Option" price to the base reader price for the correct total price.

**Reader Base Model Price**

**iCLASS SE / multiCLASS SE Contactless Smart Card Reader, 13.56 MHz Only (& 125 kHz)**

*SIO or Standard 13.56MHz Interpreter, Wiegand or Clock-and-Data Interface, Pigtail or Terminal Strip*

900	iCLASS SE R10 / multiCLASS SE RP10 Contactless Smart Card Reader, Mini-Mullion Add additional option cost associated with Prox, Custom Indala and OSDP (see below)	141.00	Contact RSM
910	iCLASS SE R15 / multiCLASS SE RP15 Contactless Smart Card Reader, Mullion Add additional option cost associated with Prox, Custom Indala and OSDP (see below)	275.00	Contact RSM
930	iCLASS SE R30 / multiCLASS SE RP30 Contactless Smart Card Reader, EU/Asia Square Add additional option cost associated with Prox, Custom Indala and OSDP (see below)	265.00	Contact RSM
920	iCLASS SE R40 / multiCLASS SE RP40 Contactless Smart Card Reader, Wall Switch Add additional option cost associated with Prox, Custom Indala and OSDP (see below)	275.00	Contact RSM
921	iCLASS SE RK40 / multiCLASS SE RPK40 Contactless Smart Card Keypad Reader, Wall Switch Add additional option cost associated with Prox, Custom Indala and OSDP (see below)	503.00	Contact RSM

**iCLASS SE Decor Smart Card Reader, 13.56 MHz Only**

*SIO or Standard 13.56MHz Interpreter, Wiegand or Clock-and-Data Interface, Terminal Strip only.*

95A	iCLASS SE Decor R95A Contactless Smart Card Reader, EU/Asia Square European style mounting this includes the HID faceplate and bezel	265.00	Contact RSM
-----	--	--------	-------------

**iCLASS SE OSDP Developer Tool Kit (DTK)**

*For panel manufactures developing to iCLASS SE OSDP-compliant readers*

SE-OSDP-DTK	iCLASS SE OSDP Developer Tool Kit (DTK) Combination of readers (SE RPK40 & SERP10), development cables, documentation, software and sample source code that enables controller development.	1,500.00	Contact RSM
-------------	---	----------	-------------

USD		List Price	0.00% Unit Price
900	iCLASS SE R10 / multiCLASS SE RP10 Contactless Smart Card Reader, Mini-Mullion Add additional option cost associated with Prox, Custom Indala and OSDP (see below)	141.00	Contact RSM
910	iCLASS SE R15 / multiCLASS SE RP15 Contactless Smart Card Reader, Mullion Add additional option cost associated with Prox, Custom Indala and OSDP (see below)	275.00	Contact RSM
930	iCLASS SE R30 / multiCLASS SE RP30 Contactless Smart Card Reader, EU/Asia Square Add additional option cost associated with Prox, Custom Indala and OSDP (see below)	265.00	Contact RSM
920	iCLASS SE R40 / multiCLASS SE RP40 Contactless Smart Card Reader, Wall Switch Add additional option cost associated with Prox, Custom Indala and OSDP (see below)	275.00	Contact RSM
921	iCLASS SE RK40 / multiCLASS SE RPK40 Contactless Smart Card Keypad Reader, Wall Switch Add additional option cost associated with Prox, Custom Indala and OSDP (see below)	503.00	Contact RSM
95A	iCLASS SE Decor R95A Contactless Smart Card Reader, EU/Asia Square European style mounting this includes the HID faceplate and bezel	265.00	Contact RSM
SE-OSDP-DTK	iCLASS SE OSDP Developer Tool Kit (DTK) Combination of readers (SE RPK40 & SERP10), development cables, documentation, software and sample source code that enables controller development.	1,500.00	Contact RSM

**Orderable Options:**

<b>P</b> (Prox)	Prox - Standard - all models with "125 kHz Interpreter" = P (Prox) <b>(Currently unavailable for the iCLASS SE Decor Reader R95A)</b>	42.00	Contact RSM
<b>L</b> (Custom Indala)	Prox - Custom - all models with "125 kHz Interpreter" = L (Custom Indala) <b>(Currently unavailable for the iCLASS SE Decor Reader R95A)</b>	42.00	Contact RSM
<b>P</b> (OSDP)	OSDP RS485 - all models with "Controller Communications" = P (OSDP)	35.00	Contact RSM
<b>W</b> (Custom Programming)	Custom Programming (formerly HF migration) - all models with "13.56 MHz Interpreter" = W (Custom Programming)	60.00	Contact RSM

**Notes: iR Rev. 0114B**

- Prices are in U.S. dollars. Taxes and shipping not included.

- Refer to the "How to Order Guide" for all available part numbers and options.

Confidential & Proprietary © 2014 HID Global Corporation. All rights reserved. This document and the information contained herein may not be distributed or published without the express authorization of HID Global.

Pricing for: 0: 0



## 1.0 - iCLASS® 13.56 MHz Readers

### Read only Technology

6150	iCLASS R90 Long Range Read Only Contactless Smart Card Reader, Wiegand output	795.00	Contact RSM
6170	iCLASS RKL55 Read Only Contactless Smart Card Reader, iCLASS & FIPS201, Wiegand (6170) or Clock-and-Data (6178), US/EU/Asian Back Box, with LCD/Keypad.	805.00	Contact RSM
6180	bioCLASS RKL57 Read Only Contactless Smart Card Reader/Enroller, Wiegand (6180) or Clock-and-Data (6188), US/EU/Asian Back Box, with LCD/Keypad and biometric fingerprint authentication.	1,305.00	Contact RSM

### Read/Write Technology

6101	iCLASS RW100 Read/Write Contactless Smart Card Reader, iCLASS & FIPS201 Technologies. Wiegand and RS232 or RS485 or USB or UART Communications, Mullion Mount Size	191.00	Contact RSM
6141	iCLASS RW150 Read/Write Contactless Smart Card Reader, iCLASS & FIPS201 Technologies. Wiegand and RS232 or RS485 or USB or UART Communications, Mullion Mount Size	325.00	Contact RSM
6111	iCLASS RW300 Read/Write Contactless Smart Card Reader, iCLASS & FIPS201 Technologies. Wiegand and RS232 or RS485 or USB or UART Communications, EU/ Asian Back Box Size	315.00	Contact RSM
6121	iCLASS RW400 Read/Write Contactless Smart Card Reader, iCLASS & FIPS201 Technologies. Wiegand and RS232 or RS485 or USB or UART Communications, US/ EU/ Asian Back Box Size	325.00	Contact RSM
6131	iCLASS RWK400 Read/Writer Contactless Smart Card Keypad Reader, iCLASS & FIPS201 Technologies. Wiegand and RS232 or RS485 or USB or UART Communications, US/ EU/ Asian Back Box Size	545.00	Contact RSM
6171	iCLASS RWKL550 Read/Write Contactless Smart Card Reader, iCLASS & FIPS201, Wiegand and RS232 or RS485 or USB or UART Communications, US/EU/Asian Back Box, with LCD/Keypad.	805.00	Contact RSM
6181	bioCLASS RWKLB575 Read/Write Only Contactless Smart Card Reader, Wiegand and RS232 or RS485 or USB or UART Communications, US/EU/Asian Back Box, with LCD/Keypad and biometric fingerprint authentication.	1,305.00	Contact RSM
6190	bioCLASS BIO500 fingerprint biometric module upgrade, compatible with the iCLASS RKL55/RWKL550 (6170/6171) Readers only	655.00	Contact RSM

### Transit FeliCA/CEPAS iCLASS Readers, Read only Technology

#### Transit Read only Technology

6109	iCLASS R10-T Read Only Contactless Smart Card Transit Reader, iCLASS, CEPAS & FeliCa Technologies. Wiegand Output, Mullion Mount Size	275.00	Contact RSM
6149	iCLASS R15-T Read Only Contactless Smart Card Transit Reader, iCLASS, CEPAS & FeliCa Technologies. Wiegand Output, Mullion Mount Size	335.00	Contact RSM
6119	iCLASS R30-T Read Only Contactless Smart Card Transit Reader, iCLASS, CEPAS & FeliCa Technologies. Wiegand Output, EU/Asian Back Box Size	325.00	Contact RSM
6129	iCLASS R40-T Contactless Smart Card Transit Reader, iCLASS, CEPAS & FeliCa Technologies. Wiegand Output, US/EU/Asian Back Box Size	335.00	Contact RSM
6139	iCLASS RK40-T Read Only Contactless Smart Card Transit Reader, iCLASS & FeliCa Technologies. Wiegand Output, US/EU/Asian Back Box Size, with Keypad	605.00	Contact RSM

#### Transit FeliCA/CEPAS iCLASS Readers, Read only multiCLASS Technology

6144	iCLASS RP15-T multiCLASS™ Read Only Multi Technology Transit Reader, HID/AWID, Indala or EM4102 Prox, iCLASS, CEPAS & FeliCa Technologies. Wiegand Output, Mullion Mount Size	357.00	Contact RSM
6124	iCLASS RP40-T multiCLASS™ Read Only Multi Technology Transit Reader, HID/AWID, Indala or EM4102 Prox, iCLASS, CEPAS & FeliCa Technologies. Wiegand Output, US/EU/Asian Back Box Size	357.00	Contact RSM
6134	iCLASS RPK40-T multiCLASS™ Read Only Multi Technology Transit Keypad Reader, HID/AWID, Indala or EM4102 Prox, iCLASS & FeliCa Technologies. Wiegand Output, US/EU/Asian Back Box Size	655.00	Contact RSM

USD	
List Price	0.00% Unit Price
795.00	Contact RSM
805.00	Contact RSM
1,305.00	Contact RSM
191.00	Contact RSM
325.00	Contact RSM
315.00	Contact RSM
325.00	Contact RSM
545.00	Contact RSM
805.00	Contact RSM
1,305.00	Contact RSM
655.00	Contact RSM
275.00	Contact RSM
335.00	Contact RSM
325.00	Contact RSM
335.00	Contact RSM
605.00	Contact RSM
357.00	Contact RSM
357.00	Contact RSM
655.00	Contact RSM

Pricing for: 0: 0



1.0 - iCLASS® 13.56 MHz Readers

**Hi-O or OSDP Enabled iCLASS Readers**

6172 iCLASS RKL55, OSDP Communications Enabled Read-Only Contactless Smart Card Keypad LCD Reader  
(Hi-O not available). US/EU/Asian Back Box Size

**High Frequency Migration iCLASS Readers, MIFARE DESFire EV1 and MIFARE Classic Technology**

7100	iCLASS RS10 Read Only Contactless Smart Card Reader, MIFARE DESFire EV1 & MIFARE Classic Technologies. Wiegand output. Mullion Mount.	w/o spacer	335.00	Contact RSM
		w/ spacer	350.00	Contact RSM
7120	iCLASS RS40 Read Only Contactless Smart Card Reader, MIFARE DESFire EV1 & MIFARE Classic Technologies. Wiegand output. Wall Switch Mount. EU/US/Asian Mounting Holes.	w/o spacer	357.00	Contact RSM
		w/ spacer	372.00	Contact RSM
7130	iCLASS RSK40 Read Only Contactless Smart Card Keypad Reader, MIFARE DESFire EV1 & MIFARE Classic Technologies. Wiegand output. Wall Switch Mount. EU/US/Asian Mounting Holes.	w/o spacer	587.00	Contact RSM
		w/ spacer	602.00	Contact RSM
7145	multiCLASS RSP15 Read Only Contactless Smart Card Reader, MIFARE DESFire EV1, MIFARE Classic and 125 kHz HID Prox Technologies. Wiegand output. Mullion Mount.	w/o spacer	445.00	Contact RSM
		w/ spacer	460.00	Contact RSM
7125	multiCLASS RSP40 Read Only Contactless Smart Card Reader, MIFARE DESFire EV1, MIFARE Classic and 125 kHz HID Prox Technologies. Wiegand output. Wall Switch Mount. EU/US/Asian Mounting Holes.	w/o spacer	445.00	Contact RSM
		w/ spacer	460.00	Contact RSM
7136	multiCLASS RSPK40 Read Only Contactless Smart Card Keypad Reader, MIFARE DESFire EV1, MIFARE Classic and 125 kHz HID Prox Technologies. Wiegand output. Wall Switch Mount. EU/US/Asian Mounting Holes.	w/o spacer	675.00	Contact RSM
		w/ spacer	690.00	Contact RSM
7102	iCLASS RS10 OSDP Read Only Contactless Smart Card Reader, MIFARE DESFire EV1 & MIFARE Classic Technologies. Mullion Mount.	w/o spacer	405.00	Contact RSM
		w/ spacer	420.00	Contact RSM
7122	iCLASS RS40 OSDP Read Only Contactless Smart Card Reader, MIFARE DESFire EV1 & MIFARE Classic Technologies. Wall Switch Mount. Wall Switch Mount. EU/US/Asian Mounting Holes.	w/o spacer	427.00	Contact RSM
		w/ spacer	442.00	Contact RSM
7132	iCLASS RSK40 OSDP Read Only Contactless Smart Card Keypad Reader, MIFARE DESFire EV1 & MIFARE Classic Technologies. Wall Switch Mount. Wall Switch Mount. EU/US/Asian Mounting Holes.	w/o spacer	657.00	Contact RSM
		w/ spacer	672.00	Contact RSM

USD	
List Price	0.00% Unit Price
875.00	Contact RSM
335.00	Contact RSM
350.00	Contact RSM
357.00	Contact RSM
372.00	Contact RSM
587.00	Contact RSM
602.00	Contact RSM
445.00	Contact RSM
460.00	Contact RSM
445.00	Contact RSM
460.00	Contact RSM
675.00	Contact RSM
690.00	Contact RSM
405.00	Contact RSM
420.00	Contact RSM
427.00	Contact RSM
442.00	Contact RSM
657.00	Contact RSM
672.00	Contact RSM

**Notes: iR Rev. 0114A**

- Prices are in U.S. dollars. Taxes and shipping not included.

- Refer to the "How to Order Guide" for all available part numbers and options.

Confidential & Proprietary © 2014 HID Global Corporation. All rights reserved. This document and the information contained herein may not be distributed or published without the express authorization of HID Global.



Pricing for: 0: 0





## 1.1 - iCLASS® / iCLASS SE™ and Other Credential Combinations



### Category iC

#### iCLASS Seos Cards:

#### iCLASS Seos 13.56 MHz Credentials

5005		iCLASS Seos Contactless Smart Card, 16KB Memory Composite card body (Composite fee included in List Price)
5006		iCLASS Seos Contactless Smart Card, 8KB Memory Composite card body (Composite fee included in List Price)

#### iCLASS Seos + Prox Cards:

5105		iCLASS Seos Prox Contactless Smart Card, 16KB Memory, Composite card body (Composite fee included in List Price)
5106		iCLASS Seos Prox Contactless Smart Card, 8KB Memory, Composite card body (Composite fee included in List Price)

### Category iC

#### iCLASS SE & SR 13.56 MHz Credentials


#### iCLASS SE Cards:

3000		iCLASS SE Contactless Smart Card, 2k bit with 2 application areas	4.95	Contact RSM
3001		iCLASS SE Contactless Smart Card, 16k bit with 2 application areas	8.95	Contact RSM
3002		iCLASS SE Contactless Smart Card, 16k bit with 16 application areas	8.95	Contact RSM
3003		iCLASS SE Contactless Smart Card, 32k bit (Application Areas: 16k/2 + 16k/1)	9.32	Contact RSM
3004		iCLASS SE Contactless Smart Card, 32k bit (Application Areas: 16k/16 + 16k/1)	9.32	Contact RSM


#### iCLASS SR Cards:

2000H		iCLASS SR Contactless Smart Card, 2k bit with 2 application areas	4.95	Contact RSM
2001H		iCLASS SR Contactless Smart Card, 16k bit with 2 application areas	8.95	Contact RSM
2002H		iCLASS SR Contactless Smart Card, 16k bit with 16 application areas	8.95	Contact RSM
2003H		iCLASS SR Contactless Smart Card, 32k bit (Application Areas: 16k/2 + 16k/1)	9.32	Contact RSM
2004H		iCLASS SR Contactless Smart Card, 32k bit (Application Areas: 16k/16 + 16k/1)	9.32	Contact RSM


#### iCLASS SE + Prox Cards:

3100		iCLASS SE Prox Contactless Smart Card, 2k bit with 2 application areas	10.65	Contact RSM
3101		iCLASS SE Prox Contactless Smart Card, 16k bit with 2 application areas	12.58	Contact RSM
3102		iCLASS SE Prox Contactless Smart Card, 16k bit with 16 application areas	12.58	Contact RSM
3103		iCLASS SE Prox Contactless Smart Card, 32k bit (Application Areas: 16k/2 + 16k/1)	12.80	Contact RSM
3104		iCLASS SE Prox Contactless Smart Card, 32k bit (Application Areas: 16k/16 + 16k/1)	12.80	Contact RSM


#### iCLASS SR + Prox Cards:

2020H		iCLASS SR Prox Contactless Smart Card, 2k bit with 2 application areas	10.65	Contact RSM
2021H		iCLASS SR Prox Contactless Smart Card, 16k bit with 2 application areas	12.58	Contact RSM
2022H		iCLASS SR Prox Contactless Smart Card, 16k bit with 16 application areas	12.58	Contact RSM
2023H		iCLASS SR Prox Contactless Smart Card, 32k bit (Application Areas: 16k/2 + 16k/1)	12.80	Contact RSM
2024H		iCLASS SR Prox Contactless Smart Card, 32k bit (Application Areas: 16k/16 + 16k/1)	12.80	Contact RSM

#### iCLASS SE Key II:

3250		iCLASS SE Key II Contactless Smart Key, 2k bit with 2 application areas	6.43	Contact RSM
3251		iCLASS SE Key II Contactless Smart Key, 16k bit with 2 application areas	10.70	Contact RSM
3252		iCLASS SE Key II Contactless Smart Key, 16k bit with 16 application areas	10.70	Contact RSM
3253		iCLASS SE Key II Contactless Smart Key, 32k bit (Application Areas: 16k/2 + 16k/1)	11.07	Contact RSM
3254		iCLASS SE Key II Contactless Smart Key, 32k bit (Application Areas: 16k/16 + 16k/1)	11.07	Contact RSM

#### iCLASS SR Key II:

2050H		iCLASS SR Key II Contactless Smart Key, 2k bit with 2 application areas	6.43	Contact RSM
2051H		iCLASS SR Key II Contactless Smart Key, 16k bit with 2 application areas	10.70	Contact RSM
2052H		iCLASS SR Key II Contactless Smart Key, 16k bit with 16 application areas	10.70	Contact RSM
2053H		iCLASS SR Key II Contactless Smart Key, 32k bit (Application Areas: 16k/2 + 16k/1)	11.07	Contact RSM
2054H		iCLASS SR Key II Contactless Smart Key, 32k bit (Application Areas: 16k/16 + 16k/1)	11.07	Contact RSM

		USD	
List Price	0.00%	Unit Price	
10.08	Contact RSM		
4.95	Contact RSM		
13.60	Contact RSM		
10.65	Contact RSM		
4.95	Contact RSM		
8.95	Contact RSM		
8.95	Contact RSM		
9.32	Contact RSM		
9.32	Contact RSM		
4.95	Contact RSM		
8.95	Contact RSM		
8.95	Contact RSM		
9.32	Contact RSM		
9.32	Contact RSM		
10.65	Contact RSM		
12.58	Contact RSM		
12.58	Contact RSM		
12.80	Contact RSM		
12.80	Contact RSM		
10.65	Contact RSM		
12.58	Contact RSM		
12.58	Contact RSM		
12.80	Contact RSM		
12.80	Contact RSM		
6.43	Contact RSM		
10.70	Contact RSM		
10.70	Contact RSM		
11.07	Contact RSM		
11.07	Contact RSM		
6.43	Contact RSM		
10.70	Contact RSM		
10.70	Contact RSM		
11.07	Contact RSM		
11.07	Contact RSM		

Pricing for: 0: 0




## 1.1 - iCLASS® / iCLASS SE™ and Other Credential Combinations


### Category iC

### iCLASS SE & SR 13.56 MHz Credentials

#### iCLASS SE Tag:

3300		iCLASS SE Tag Contactless Smart Tag, 2k bit with 2 application areas
3301		iCLASS SE Tag Contactless Smart Tag, 16k bit with 2 application areas
3302		iCLASS SE Tag Contactless Smart Tag, 16k bit with 16 application areas
3303		iCLASS SE Tag Contactless Smart Tag, 32k bit (Application Areas: 16k/2 + 16k/1)
3304		iCLASS SE Tag Contactless Smart Tag, 32k bit (Application Areas: 16k/16 + 16k/1)

#### iCLASS SR Tag:

2060H		iCLASS SR Tag Contactless Smart Tag, 2k bit with 2 application areas
2061H		iCLASS SR Tag Contactless Smart Tag, 16k bit with 2 application areas
2062H		iCLASS SR Tag Contactless Smart Tag, 16k bit with 16 application areas
2063H		iCLASS SR Tag Contactless Smart Tag, 32k bit (Application Areas: 16k/2 + 16k/1)
2064H		iCLASS SR Tag Contactless Smart Tag, 32k bit (Application Areas: 16k/16 + 16k/1)

USD	
List Price	0.00%
	Unit Price
4.33	Contact RSM
7.45	Contact RSM
7.45	Contact RSM
7.82	Contact RSM
7.82	Contact RSM
4.33	Contact RSM
7.45	Contact RSM
7.45	Contact RSM
7.82	Contact RSM
7.82	Contact RSM


### Category iD

### iCLASS SE & SR 13.56 MHz Credentials

**iCLASS SE Clamshell Cards:** Also available with Adhesive front, please refer to section 1.5 for pricing.

3350		iCLASS SE Clamshell Contactless Smart Card, 2k bit with 2 application areas
3351		iCLASS SE Clamshell Contactless Smart Card, 16k bit with 2 application areas
3352		iCLASS SE Clamshell Contactless Smart Card, 16k bit with 16 application areas
3353		iCLASS SE Clamshell Contactless Smart Card, 32k bit (Application Areas: 16k/2 + 16k/1)
3354		iCLASS SE Clamshell Contactless Smart Card, 32k bit (Application Areas: 16k/16 + 16k/1)

**iCLASS SR Clamshell Cards:** Also available with Adhesive front, please refer to section 1.5 for pricing.

2080H		iCLASS SR Clamshell Contactless Smart Card, 2k bit with 2 application areas
2081H		iCLASS SR Clamshell Contactless Smart Card, 16k bit with 2 application areas
2082H		iCLASS SR Clamshell Contactless Smart Card, 16k bit with 16 application areas
2083H		iCLASS SR Clamshell Contactless Smart Card, 32k bit (Application Areas: 16k/2 + 16k/1)
2084H		iCLASS SR Clamshell Contactless Smart Card, 32k bit (Application Areas: 16k/16 + 16k/1)

List Price	0.00%
	Unit Price
3.30	Contact RSM
7.30	Contact RSM
7.30	Contact RSM
7.80	Contact RSM
7.80	Contact RSM
3.30	Contact RSM
7.30	Contact RSM
7.30	Contact RSM
7.80	Contact RSM
7.80	Contact RSM

### Category iC

### iCLASS and Other 13.56 MHz Credential Combinations

#### iCLASS and MIFARE Classic™ Cards:

2320	iCLASS 2k bit with 2 application areas + MIFARE 1K Memory with 16 Sectors, Contactless Smart Card
2323	iCLASS 32k bit (16k/2 + 16k/1) + MIFARE 4K Memory with 40 Sectors, Contactless Smart Card
2324	iCLASS 32k bit (16k/16 + 16k/1) + MIFARE 4K Memory with 40 Sectors, Contactless Smart Card

List Price	0.00%
	Unit Price
7.75	Contact RSM
12.50	Contact RSM
12.50	Contact RSM



Pricing for: 0: 0



### 1.1 - iCLASS® / iCLASS SE™ and Other Credential Combinations

**Category iC**                      **iCLASS and Other 13.56 MHz Credential Combinations**

**iCLASS and MIFARE Classic™ + PROX Cards:**

2520	iCLASS 2k bit with 2 application areas + MIFARE 1K Memory with 16 Sectors, HID Prox Contactless Smart Card
2523	iCLASS 32k bit (16k/2 + 16k/1) + MIFARE 4K Memory with 40 Sectors, HID Prox Contactless Smart Card
2524	iCLASS 32k bit (16k/16 + 16k/1) + MIFARE 4K Memory with 40 Sectors, HID Prox Contactless Smart Card

**iCLASS and MIFARE DESFire™ EV1 Cards:**

2323 (EV1)	iCLASS 32k bit (16k/2 + 16k/1) + MIFARE DESFire EV1 8K Memory with flexible file system, Contactless Smart Card
2324 (EV1)	iCLASS 32k bit (16k/16 + 16k/1) + MIFARE DESFire EV1 8K Memory with flexible file system, Contactless Smart Card

**iCLASS and MIFARE DESFire™ EV1 + PROX Cards:**

2523 (EV1)	iCLASS 32k bit (16k/2 + 16k/1) + MIFARE DESFire EV1 8K Memory with flexible file system, HID Prox Contactless Smart Card
2524 (EV1)	iCLASS 32k bit (16k/16 + 16k/1) + MIFARE DESFire EV1 8K Memory with flexible file system, HID Prox Contactless Smart Card

**Category iC**                      **iCLASS SE and Other 13.56 MHz Credential Combinations**

**iCLASS SE and MIFARE Classic™ Cards:**

3900xM	iCLASS SE 2k bit with 2 application areas + MIFARE 1K Memory with 16 Sectors, Contactless Smart Card
3903xN	iCLASS SE 32k bit (16k/2 + 16k/1) + MIFARE 4K Memory with 40 Sectors, Contactless Smart Card
3904xN	iCLASS SE 32k bit (16k/16 + 16k/1) + MIFARE 4K Memory with 40 Sectors, HID Prox Contactless Smart Card

**iCLASS SE and MIFARE Classic™ + PROX Cards:**

3950xM	iCLASS SE 2k bit with 2 application areas + MIFARE 1K Memory with 16 Sectors, HID Prox Contactless Smart Card
3953xN	iCLASS SE 32k bit (16k/2 + 16k/1) + MIFARE 4K Memory with 40 Sectors, HID Prox Contactless Smart Card
3954xN	iCLASS SE 32k bit (16k/16 + 16k/1) + MIFARE 4K Memory with 40 Sectors, HID Prox Contactless Smart Card

**iCLASS SE and MIFARE DESFire™ EV1 Cards:**

3903xK	iCLASS SE 32k bit (16k/2 + 16k/1) + MIFARE DESFire EV1 8K Memory with flexible file system, Contactless Smart Card
3904xK	iCLASS SE 32k bit (16k/16 + 16k/1) + MIFARE DESFire EV1 8K Memory with flexible file system, Contactless Smart Card

**iCLASS SE and MIFARE DESFire™ EV1 + PROX Cards:**

3953xK	iCLASS SE 32k bit (16k/2 + 16k/1) + MIFARE DESFire EV1 8K Memory with flexible file system, HID Prox Contactless Smart Card
3954xK	iCLASS SE 32k bit (16k/16 + 16k/1) + MIFARE DESFire EV1 8K Memory with flexible file system, HID Prox Contactless Smart Card

USD	
List Price	0.00%
	Unit Price
12.25	Contact RSM
15.70	Contact RSM
15.70	Contact RSM
13.65	Contact RSM
13.65	Contact RSM
16.80	Contact RSM
16.80	Contact RSM
7.75	Contact RSM
12.50	Contact RSM
12.50	Contact RSM
12.25	Contact RSM
15.70	Contact RSM
15.70	Contact RSM
13.65	Contact RSM
13.65	Contact RSM
16.80	Contact RSM
16.80	Contact RSM

Pricing for: 0: 0



## 1.1 - iCLASS® / iCLASS SET™ and Other Credential Combinations

### Category iC

### iCLASS SR and Other Combinations

#### **iCLASS SR and LEGIC prime 1024 + PROX Cards:**

2523HOx	iCLASS SR 32k bit (16k/2 + 16k/1) + LEGIC prime 1024 + HID Prox Contactless Smart Card
2524HOx	iCLASS SR 32k bit (16k/16 + 16k/1) + LEGIC prime 1024 + HID Prox Contactless Smart Card

### Category iC

### HID LEGIC™ 13.56 MHz Products

1550	HID LEGIC prime MIM 1024 Contactless Smart Card - Utilizes LEGIC MIME 1024 13.56 MHz, Internal Smart Chip, PVC Card body
1551	HID LEGIC advant ATC 1024 Contactless Smart Card - Utilizes LEGIC ATC 1024 13.56 MHz, Internal Smart Chip, PVC Card body
1750	HID LEGIC prime MIM 1024 + Prox Contactless Smart Card - Utilizes LEGIC MIME 1024 13.56 MHz, Internal Smart Chip, PVC Card body

USD	
List Price	0.00%
	Unit Price
19.00	Contact RSM
19.00	Contact RSM
9.75	Contact RSM
9.77	Contact RSM
12.75	Contact RSM

#### Notes: iC Rev. 0114D

- Prices are in U.S. dollars. Taxes and shipping not included.
- Credentials are available with an optional external inkjet number. Refer to the "How to Order Guide" for ordering instructions.
  - \* Laser engraved external number is available on most Credentials for an additional charge, please refer to section 1.5 for pricing.
- Cards are available with an optional slot punch. Some dye sublimation printers cannot accommodate pre-slot punched cards. Please consult with the printer manufacturer prior to ordering.
- Minimum order quantity is 100 for all standard Cards, Keys & Tags, 500 for Custom Cards or Cards with Custom Artwork.
- All cards are available with an optional Debitek stripe, signature panel, or magnetic stripe for an additional charge, please refer to section 1.5 for pricing. Standard magnetic stripe is 3 Tracks 4000 OE, other magnetic stripes are available. Please consult factory.
- All card orders are final. For details on changes or cancellations, please see HID Sales Policy.
- Credentials are available with the iCLASS Elite (Part # MC-0036) and/or Corporate 1000 (Part # MC-1000) Formats for an additional charge, please refer to section 1.5 for pricing.
- Credential programming of the MIFARE/DESFire Portion with an HID/OEM proximity Format is available for an additional charge, please refer to section 1.5 for pricing.
- iCLASS Tags are packaged in multiples of 50 pieces. Minimum order quantity is 100 pieces; orders will be accepted in multiples of 50 pieces thereafter.
- Above listed prices do not include Contact Smart Chip Module.
- For a list of all other Credential Options, please refer to the New HID Global "Managed Services" Price Book.
- Credential programming of the MIFARE/DESFire Portion with an HID/OEM proximity Format is available for an additional charge, please refer to section 1.5 for pricing.

All trademarks and registered trademarks are the properties of their respective companies.

Confidential & Proprietary © 2014 HID Global Corporation. All rights reserved. This document and the information contained herein may not be distributed or published without the express authorization of HID Global.



### 1.3A - HID Credential Programmers/Encoders

**Initial Lease:**

All Programmers are available for Lease only with the exception of the CP1000D Encoder and 3155 Programmer which are available as a Sale Item.

**13.56 MHz iCLASS Credential Programmers/Encoders**

		USD
		Unit Price
CP1000D	CP1000 iCLASS SE Desktop Encoder	Contact RSM
3150xNN00	iCLASS CP400 Card Programmer with Standard Security <sup>4</sup> <b>OEM Level:</b> Programmers in this configuration allow the OEM to program any number within their assigned formats, as well as standard 26 bit and clock & data formats. <sup>2,3</sup> <b>Dealer &amp; End-User Level:</b> Programmers in this configuration are restricted to specific formats and specific card numbers. Programming is limited to the user <sup>2,3</sup>	Contact RSM
3150xNH00	iCLASS CP400 Card Programmer with High Security <sup>4</sup> <b>OEM Level:</b> Programmers in this configuration allow the OEM to program any number within their assigned formats, as well as standard 26 bit and clock & data formats. Cards are programmed using site specific keys and HID's High Security for iCLASS <sup>2,3</sup> <b>Dealer &amp; End-User Level:</b> Programmers in this configuration are restricted to specific formats and specific card numbers. Programming is limited to the user. Cards are programmed using site specific keys and HID's High Security for iCLASS <sup>3,4</sup>	Contact RSM
6250xNN00	iCLASS CP575A Card and biometric template Programmer <b>OEM Level:</b> Programmers in this configuration allow the OEM to program any number within their assigned formats, as well as standard 26 bit and clock & data formats. <sup>2,3</sup> <b>Dealer &amp; End-User Level:</b> Programmers in this configuration are restricted to specific formats and specific card numbers. Programming is limited to the user <sup>2,3</sup>	Contact RSM
3150-302-0x	iCLASS Programmer (CP400 & CP575A) software upgrade (Add facility code, format, ...etc.)	Contact RSM
3150-312-V4.1.14	iCLASS Programmer Standard Security, Installation CD	Contact RSM
3155xNH00	CP600 MIFARE DESFire EV1 and MIFARE Classic Programmer and Configuration card encoder for iCLASS Migration Readers, USB Interface, V1.0. Provides facility for the integrator to manage application Keys for both credentials and readers.	Contact RSM
<b><u>ProxProgrammer® (125 kHz) Proximity Credential Programmers</u></b>		
1050xGL00	<b>OEM Level:</b> Programmers in this configuration allow the OEM to program any number within their assigned formats, as well as standard 26 bit and clock & data formats <sup>2,3</sup>	Contact RSM
1050xGL00	<b>Dealer &amp; End-User Level:</b> Programmers in this configuration are restricted to specific formats and specific card numbers. Programming is limited to the user <sup>2,3</sup>	Contact RSM
1050-306-01 02-0004-01	Programmer Software upgrade - Add facility code, format, GUI up-grade...etc. Universal Power Supply for the ProxProgrammer	Contact RSM Contact RSM
<b><u>ProxSmith® (125 kHz) Proximity Credential Programmers (Indala)</u></b>		
AFP-1000	ProxSmith® Indala Proximity Credential Programmer	Contact RSM
<b><u>SmartID® (13.56 MHz) Proximity Credential Programmers</u></b>		
501-7753	SmartID CP100 ProxBurn MIFARE Card and Tag Programmer, RS232	Contact RSM
501-7756	SmartID CP101 Reader Tools Configuration Card Programmer, USB	Contact RSM
<b><u>Dorado Credential Encoder (Not Available in EMEA Region)</u></b>		
3152-0420	Windows Based On-Line Encoder - ABA/EMPI - All Tracks (software & hardware).	Contact RSM



### 1.3A - HID Credential Programmings/Encoders

**Programmer Lease Renewal:**

Lease Renewal is done bi-annually, starting two (2) years after the initial lease of the programmer.

**13.56 MHz iCLASS Credential Programmings**

- MC-3150BNN00-RENEW    **iCLASS CP400** Card Programmer with Standard Security
- MC-3150BNH00-RENEW    **iCLASS CP400** Card Programmer with High Security
- MC-6250BNN00-RENEW    **iCLASS CP575A** Card and biometric template Programmer
- MC-ICL-CONFIG-RENEW    iCLASS Migration Reader Configuration Tool

**ProxProgrammer® (125 kHz) Proximity Credential Programmer**

- MC-1050AGL00-RENEW    HID Prox Programmer

**ProxSmith® (125 kHz) Proximity Credential Programmings (Indala)**

- MC-AFP-1000-RENEW    **ProxSmith®** Indala Proximity Credential Programmer

**SmartID® (13.56 MHz) Proximity Credential Programmings**

- MC-501-7753-RENEW    **SmartID CP100** ProxBurn MIFARE Card and Tag Programmer, RS232
- MC-501-7756-RENEW    **SmartID CP101** Reader Tools Configuration Card Programmer, USB

**Dorado Credential Encoder (Not Available in EMEA Region)**

- MC-3152-0420-RENEW    Windows Based On-Line Encoder - ABA/EMPI - All Tracks

USD
Unit Price
Contact RSM
Contact RSM
Contact RSM
Contact RSM
Contact RSM
Contact RSM
Contact RSM
Contact RSM
Contact RSM

**Notes: Rev. 0114A**

- Prices are in U.S. dollars. Taxes and shipping not included.
  - 1. Lease Prices are subject to change without notice.
  - 3. User of any Programmer must sign an HID "Programmer Lease Agreement".
  - 4. Programming restrictions may apply. Contact an HID representative for complete details.
  - 5. What is the difference between Standard and High Security iCLASS Cards and Readers? Please visit our website at: [http://www.hidglobal.com/sites/hidglobal.com/files/resource\\_files/cp400\\_security\\_faq\\_en\\_0.pdf](http://www.hidglobal.com/sites/hidglobal.com/files/resource_files/cp400_security_faq_en_0.pdf)
- Confidential & Proprietary © 2014 HID Global Corporation. All rights reserved. This document and the information contained herein may not be distributed or published without the express authorization of HID Global.



## 1.3B - 13.56 Credential Credits

Part No.	Description	USD	
		List Price	0.00% Unit Price
<b>Genuine HID Credential Credits</b>			
CRDT-A0	Credit for iCLASS Credentials with Standard Encoding	0.00	Contact RSM
CRDT-A1	Credit for iCLASS Credentials with iCLASS Elite Encoding	0.30	Contact RSM
CRDT-A3	Credit for iCLASS Credentials with, SIO Encoding	0.00	Contact RSM
CRDT-A4	Credit for iCLASS Credentials with iCLASS Elite, SIO Encoding	0.30	Contact RSM
CRDT-A5	Credit for iCLASS Credentials with Custom Data	0.00	Contact RSM
CRDT-A6	Credit for iCLASS Credential Key Rolling	0.00	Contact RSM
CRDT-B0	Credit for MIFARE Classic Credentials with Standard Encoding	0.00	Contact RSM
CRDT-B3	Credit for MIFARE Classic Credentials with SIO Encoding	0.00	Contact RSM
CRDT-B4	Credit for MIFARE Classic Credentials with iCLASS Elite, SIO Encoding	0.30	Contact RSM
CRDT-B5	Credit for MIFARE CLASSIC Credentials with Custom Data	0.00	Contact RSM
CRDT-B6	Credit for MIFARE CLASSIC Credential Key Rolling	0.00	Contact RSM
CRDT-C3	Credit for MIFARE DESFire Credentials with, SIO Encoding	0.00	Contact RSM
CRDT-C4	Credit for MIFARE DESFire Credentials with, iCLASS Elite SIO Encoding	0.30	Contact RSM
CRDT-C5	Credit for MIFARE DESFire Credentials with Custom Data	0.00	Contact RSM
CRDT-C6	Credit for MIFARE DESFire Credential Key Rolling	0.00	Contact RSM
CRDT-D3	Credit for Seos Credentials with, SIO Encoding	0.00	Contact RSM
CRDT-D4	Credit for Seos Credentials with iCLASS Elite, SIO Encoding	0.30	Contact RSM
CRDT-D6	Credit for Seos Credential Key Rolling	0.00	Contact RSM
CRDT-K0	Credit for HID Prox	0.00	Contact RSM
<b>Third Party Credential Credits</b>			
CRDT-F0	Credit for MIFARE Classic Credentials with Standard Encoding	2.00	Contact RSM
CRDT-F3	Credit for MIFARE Classic Credentials with SIO Encoding	2.00	Contact RSM
CRDT-F4	Credit for MIFARE Classic Credentials with iCLASS Elite SIO Encoding	2.30	Contact RSM
CRDT-F5	Credit for MIFARE Classic Credentials with Custom Data	2.00	Contact RSM
CRDT-G3	Credit for MIFARE DESFire Credentials with SIO Encoding	2.00	Contact RSM
CRDT-G4	Credit for MIFARE DESFire Credentials with iCLASS Elite, SIO Encoding	2.30	Contact RSM
CRDT-G5	Credit for MIFARE DESFire Credentials with Custom Data	2.00	Contact RSM
CRDT-H3	Credit for Seos with SIO Encoding	2.00	Contact RSM
CRDT-H4	Credit for Seos with SIO iCLASS Elite SIO Encoding	2.30	Contact RSM
<b>Configuration Card Credits</b>			
CRDT-J0	Credit for Configuration Card	0.00	Contact RSM
<b>Encoder Formats</b>			
FRMT-J1	Proprietary, HID Open Non-Tracked and HID Open Tracked Format	0.00	Contact RSM
FRMT-J2	Corporate 1000 Format	0.30	Contact RSM
<b>Encoder Keysets</b>			
CKEYMED-xxx	Media Keyset	0.00	Contact RSM
CKEYCFG-x	Reader Configuration Keyset	0.00	Contact RSM
CKEYSIO-x	SIO Keyset	0.00	Contact RSM
<b>Configuration Cards</b>			
0501500295-READER	Reader Configuration Card – Data Mapper	20.00	Contact RSM
0501500295-ELITE	Reader Configuration Card – Elite Preparation	20.00	Contact RSM

**Notes: AC Rev 0114A**

- Prices are in U.S. dollars. Taxes and shipping not included.

All trademarks and registered trademarks are the properties of their respective companies.

Confidential & Proprietary © 2014 HID Global Corporation. All rights reserved. This document and the information contained herein may not be distributed or published without the express authorization of HID Global.



### 1.4 - HID MIFARE™/DESFire™ 13.56 MHz Products

**Group MC** HID FlexSmart® Readers (Offered in Asia Pacific Only)

6075	HID FlexSmart MIFARE Access Control Reader (18 inches/45.7 cm Pigtail Cable) Read only Capability, Wiegand Output, Reads HID Formats in sector one and/or CSN
6076	HID FlexSmart MIFARE Custom Access Control Reader (18 inches/45.7 cm Pigtail Cable) Read only Capability, Wiegand Output, Reads all Sectors
6077	HID FlexSmart DESFire Custom Access Control Reader (18 inches/45.7 cm Pigtail Cable) Read only Capability, Wiegand Output, Reads all Files
6071	HID FlexSmart MIFARE Access Control Keypad Reader (18 inches/45.7 cm Pigtail Cable) Read only Capability, Wiegand Output, Reads HID Formats in sector one and/or CSN
6072	HID FlexSmart MIFARE Custom Access Control Keypad Reader (18 inches/45.7 cm Pigtail Cable) Read only Capability, Wiegand Output, Reads all Sectors
6073	HID FlexSmart DESFire Custom Access Control Keypad Reader (18 inches/45.7 cm Pigtail Cable) Read only Capability, Wiegand Output, Reads all Files

USD	
List Price	0.00% Unit Price
197.00	Contact RSM
395.00	Contact RSM
565.00	Contact RSM
405.00	Contact RSM
505.00	Contact RSM
605.00	Contact RSM

**Group MD** HID MIFARE and HID DESFire Credentials

1430	HID MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors
1431	HID Proximity & MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors, and 125kHz "Prox by HID"
1434	HID MIFARE Contactless Smart Keyfob - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors
1435	HID MIFARE Contactless Smart Adhesive Tag - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors
1440	HID MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S70, 4 K Memory with 40 Sectors
1441	HID Proximity & MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S70, 4 K Memory with 40 Sectors, and 125kHz "Prox by HID"
1444	HID MIFARE Contactless Smart Keyfob - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S70, 4 K Memory with 40 Sectors
1445	HID MIFARE Contactless Smart Adhesive Tag - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S70, 4 K Memory with 40 Sectors
1450	HID DESFire Contactless Smart Card - Utilizes DESFire EV1 13.56 MHz Internal Smart Chip, 8K memory with flexible file system (Legacy 4KB D40 special order)
1451	HID Proximity & DESFire Contactless Smart Card - Utilizes DESFire EV1 13.56 MHz Internal Smart Chip, 8K memory with flexible file system, and 125kHz "Prox by HID"
1451 (HITAG1)	HITAG 1 Proximity & MIFARE DESFire Contactless Smart Card - Utilizes MIFARE DESFire EV1 13.56 MHz Internal Smart Chip, 8K memory with flexible file system and 125 kHz HITAG 1
1454	HID MIFARE Contactless Smart Keyfob - Utilizes DESFire EV1 13.56 MHz Internal Smart Chip, 8K memory with flexible file system
1455	HID MIFARE Contactless Smart Adhesive Tag - Utilizes DESFire EV1 13.56 MHz Internal Smart Chip, 8K memory with flexible file system

List Price	0.00% Unit Price
4.10	Contact RSM
7.70	Contact RSM
6.08	Contact RSM
5.08	Contact RSM
8.00	Contact RSM
10.40	Contact RSM
8.57	Contact RSM
7.57	Contact RSM
6.10	Contact RSM
12.80	Contact RSM
13.40	Contact RSM
11.30	Contact RSM
9.20	Contact RSM
14.30	Contact RSM

**MIFARE Classic™ and MIFARE DESFire™ EV1 Cards:**

272NxK	MIFARE 4K Memory with 40 Sectors + MIFARE DESFire EV1 8K Memory with flexible file system, Contactless Smart Card
--------	---



### 1.4 - HID MIFARE™/DESFire™ 13.56 MHz Products

**Group MD HID SIO-Enabled for MIFARE and MIFARE DESFire Credentials**

3400	HID SIO-Enabled For MIFARE Contactless Smart Card - Utilizes MIFARE CLASSIC 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors	4.10	Contact RSM
3406	HID SIO-Enabled For MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S70, 4 K Memory with 40 Sectors	8.00	Contact RSM
3500	HID SIO-Enabled For MIFARE + Prox Contactless Smart Card - Utilizes MIFARE CLASSIC 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors	7.70	Contact RSM
3506	HID SIO-Enabled For MIFARE + Prox Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S70, 4 K Memory with 40 Sectors	10.40	Contact RSM
3700	HID SIO-Enabled For MIFARE DESFire Contactless Smart Card - Utilizes DESFire EV1 13.56 MHz Internal Smart Chip, 8K memory with flexible file system	6.10	Contact RSM
3800	HID SIO-Enabled For MIFARE DESFire + Prox Contactless Smart Card - Utilizes DESFire EV1 13.56 MHz Internal Smart Chip, 8K memory with flexible file system	12.80	Contact RSM
<b><u>SIO-Enabled MIFARE DESFire™ EV1 Cards with LEGIC</u></b>			
2920	HID SIO-Enabled For MIFARE DESFire + LEGIC Prime 1024 + Prox Contactless Smart Card - Utilizes DESFire EV1 13.56 MHz Internal Smart Chip, 8K memory with flexible file system	19.50	Contact RSM
2930	HID SIO-Enabled For MIFARE DESFire + LEGIC Prime 1024 - Utilizes DESFire EV1 13.56 MHz Internal Smart Chip, 8K memory with flexible file system	16.78	Contact RSM

USD	
List Price	0.00% Unit Price
4.10	Contact RSM
8.00	Contact RSM
7.70	Contact RSM
10.40	Contact RSM
6.10	Contact RSM
12.80	Contact RSM
19.50	Contact RSM
16.78	Contact RSM

**Group ME SmartID® Readers and Tools**

**Contactless Smart Card Reader, Mullion Mount Size, Terminal Strip**

8030DSHM	SmartID S10 Read Only, HID MIFARE	278.10	Contact RSM
8030DSHC	SmartID S10 Read Only, HID MIFARE (non-default configuration)	278.10	Contact RSM
8030DSCM	SmartID S10 Read Only, MIFARE	319.30	Contact RSM
8030DSDM	SmartID S10 Read Only, DUAL MIFARE	319.30	Contact RSM
8030DSDF	SmartID S10 Read Only, DESFIRE	319.30	Contact RSM
8030DSTC	SmartID SW100 Read/Write, T=CL Protocol	355.35	Contact RSM
8030DSRW	SmartID SW100 Read/Write, 3964 Protocol (Legacy)	355.35	Contact RSM

**Multi Technology Reader, HID + AWID or Indala Prox, Mullion Mount Size, Terminal Strip**

81x0DSHM	SmartTRANS® SP10 Read Only, HID MIFARE	350.20	Contact RSM
81x0DSHC	SmartTRANS SP10 Read Only, HID MIFARE (non-default configuration)	350.20	Contact RSM
81x0DSCM	SmartTRANS SP10 Read Only, MIFARE	412.00	Contact RSM
81x0DSDF	SmartTRANS SP10 Read Only, DESFIRE	412.00	Contact RSM

**Contactless Smart Card Reader, Desktop, USB and RS232**

800-1063	SmartID SWD100 Read/Write, USB	412.00	Contact RSM
800-8240	SmartID SWD100 Read/Write, RS232/Wiegand/C&D	412.00	Contact RSM

List Price	0.00% Unit Price
278.10	Contact RSM
278.10	Contact RSM
319.30	Contact RSM
319.30	Contact RSM
319.30	Contact RSM
355.35	Contact RSM
355.35	Contact RSM
350.20	Contact RSM
350.20	Contact RSM
412.00	Contact RSM
412.00	Contact RSM
412.00	Contact RSM
412.00	Contact RSM

**Group MF SmartID Keypad Readers (Non-Biometric)**

**Contactless Smart Card Keypad Reader, Mullion Mount Size, Terminal Strip**

8031DSHM	SmartID SK10 Read Only, HID MIFARE	412.00	Contact RSM
8031DSHC	SmartID SK10 Read Only, HID MIFARE (non-default configuration)	412.00	Contact RSM
8031DSCM	SmartID SK10 Read Only, MIFARE	463.50	Contact RSM
8031DSDM	SmartID SK10 Read Only, DUAL MIFARE	463.50	Contact RSM
8031DSDF	SmartID SK10 Read Only, DESFIRE	463.50	Contact RSM
8031DSTC	SmartID SWK100 Read/Write, T=CL Protocol	499.55	Contact RSM
8031DSRW	SmartID SWK100 Read/Write, 3964 Protocol (Legacy)	499.55	Contact RSM

**Multi Technology Keypad Reader, HID + AWID or Indala Prox, Mullion Mount Size, Terminal Strip**

81x1DSHM	SmartTRANS SPK10 Read Only, HID MIFARE	525.30	Contact RSM
81x1DSHC	SmartTRANS SPK10 Read Only, HID MIFARE (non-default configuration)	525.30	Contact RSM
81x1DSCM	SmartTRANS SPK10 Read Only, MIFARE	618.00	Contact RSM
81x1DSDF	SmartTRANS SPK10 Read Only, DESFIRE	618.00	Contact RSM

List Price	0.00% Unit Price
412.00	Contact RSM
412.00	Contact RSM
463.50	Contact RSM
463.50	Contact RSM
463.50	Contact RSM
499.55	Contact RSM
499.55	Contact RSM
525.30	Contact RSM
525.30	Contact RSM
618.00	Contact RSM
618.00	Contact RSM



## 1.4 - HID MIFARE™/DESFire™ 13.56 MHz Products

USD

### **Notes: MP Rev. 0114C**

- Prices are in U.S. dollars. Taxes and shipping not included.
- Credentials are shipped with default keys configurations.
- All credential orders are final. For details on changes or cancellations, please refer to the HID Sales Policy.
- Card price does not include Contact Smart Chip Module.
- Credentials are available with an optional external inkjet number. Refer to the "How to Order Guide" for ordering instructions.
- Credential "Laser Engraved" external number is available for an additional charge, please refer to section 1.5 for pricing.
- Cards are available with an optional slot punch. Some dye sublimation printers cannot accommodate pre-slot punched cards. Please consult with the printer manufacturer prior to ordering.
- Credential minimum order quantity is 100 for all standard Cards, Keys & Tags, 500 for Custom Cards or Cards with Custom Artwork.
- Cards are available with an optional Debilek stripe, signature panel, or magnetic stripe for an additional charge, please refer to section 1.5 for pricing. Standard magnetic stripe is 3 Tracks 4000 OE, other magnetic stripes are available. Please consult factory.
- Credential programming of the MIFARE/DESFire Portion with an HID/OEM proximity Format is available for an additional charge, please refer to section 1.5 for pricing.
- MIFARE Credentials include a permanent Unique MIFARE 32 Bit Serial number and DESFire Credentials include a permanent Unique MIFARE 56 Bit Serial number at no extra charge.
- Credentials are available with a Corporate 1000 Format (Part # MC-1000) for an additional charge, please refer to section 1.5 for pricing.
- FlexSmart Readers that are sold without Bezels, deducted Bezel Price. (Please refer to section 1.5 for Bezel pricing)
- All SmartID, SmartTRANS and SmartTOUCH readers are sold in mullion mount size. For single-gang mounting kit, please refer to section 1.5 for pricing.
- SmartID Read/Write option can only be applied to model S10 and SK10 readers.
- For a list of all other Credential Options, please refer to the New HID Global "Managed Services" Price Book.

All trademarks and registered trademarks are the properties of their respective companies.

Confidential & Proprietary © 2014 HID Global Corporation. All rights reserved. This document and the information contained herein may not be distributed or published without the express authorization of HID Global.

### **Definitions:**

- HID MIFARE: highly secure access control application with managed formats, custom and non-custom, provided by HID.
- MIFARE: custom access control application implemented per customer requirements on MIFARE technology.
- DUAL MIFARE: custom access control application implemented per customer requirements on MIFARE technology (two MIFARE sector applications allowed).
- DESFIRE: custom access control application implemented per customer requirements on DESFIRE technology.
- T=CL Protocol: smart card command protocol enabling full read/write communication with MIFARE and DESFIRE cards, using T=CL command structure.
- 3964 Protocol: smart card command protocol enabling full read/write communication with MIFARE (legacy).





## E2.0 - Crescendo Cards and pivCLASS Smart Cards for Combined Logical and Physical Access Control

### Crescendo C700:

Includes Middleware for use with PKCS#11 and Microsoft CryptoAPI compliant applications

4072xx	<b>Crescendo with iCLASS</b> C700 contact PKI chip, 32K bit iCLASS Contactless	24.00	Contact RSM
407Axx	<b>Crescendo with iCLASS + Prox</b> C700 contact PKI chip, 32K bit iCLASS Contactless and proximity (HID or Indala)	24.00	Contact RSM
4074xx	<b>Crescendo with MIFARE Classic</b> C700 contact PKI chip, 4K byte MIFARE	24.00	Contact RSM
407Cxx	<b>Crescendo with MIFARE + Prox</b> C700 contact PKI chip, 4K byte MIFARE, and proximity (HID or Indala)	24.00	Contact RSM
4076xx	<b>Crescendo with MIFARE DESFire EV1</b> C700 contact PKI chip, 8K byte MIFARE DESFire EV1	25.00	Contact RSM
407Gxx	<b>Crescendo with MIFARE DESFire EV1 + Prox</b> C700 contact PKI chip, 8K byte MIFARE DESFire EV1 and proximity (HID or Indala)	25.50	Contact RSM
407Fxx	<b>Crescendo with iCLASS + MIFARE Classic</b> C700 contact PKI chip, 32K bit iCLASS and 4K byte MIFARE	27.00	Contact RSM
407Hxx	<b>Crescendo with iCLASS + MIFARE DESFire EV1</b> C700 contact PKI chip, 32K bit iCLASS and 8K byte MIFARE DESFire EV1	27.00	Contact RSM
407Txx	<b>Crescendo with iCLASS + MIFARE Classic + Prox</b> C700 contact PKI chip, 32K bit iCLASS, 4K byte MIFARE and proximity (HID or Indala)	30.00	Contact RSM
407Jxx	<b>Crescendo with iCLASS + MIFARE DESFire EV1 + Prox</b> C700 contact PKI chip, 32K bit iCLASS, 8K byte MIFARE DESFire EV1 and proximity (HID or Indala)	31.00	Contact RSM

### Crescendo C800:

For ActivID Card Management System Appliance

4080xx	<b>Crescendo</b> C800 contact PKI chip	17.00	Contact RSM
4082xx	<b>Crescendo with iCLASS</b> C800 contact PKI chip, 32K bit iCLASS Contactless	21.90	Contact RSM
408Axx	<b>Crescendo with iCLASS + Prox</b> C800 contact PKI chip, 32K bit iCLASS Contactless and proximity (HID or Indala)	25.70	Contact RSM
4084xx	<b>Crescendo with MIFARE Classic</b> C800 contact PKI chip, 4K byte MIFARE	20.40	Contact RSM
408Cxx	<b>Crescendo with MIFARE + Prox</b> C800 contact PKI chip, 4K byte MIFARE, and proximity (HID or Indala)	23.10	Contact RSM
4086xx	<b>Crescendo with MIFARE DESFire EV1</b> C800 contact PKI chip, 8K byte MIFARE DESFire EV1	22.90	Contact RSM
408Gxx	<b>Crescendo with MIFARE DESFire EV1 + Prox</b> C800 contact PKI chip, 8K byte MIFARE DESFire EV1 and proximity (HID or Indala)	26.50	Contact RSM

USD	
List Price	0.00%
	Unit Price
24.00	Contact RSM
24.00	Contact RSM
24.00	Contact RSM
24.00	Contact RSM
25.00	Contact RSM
25.50	Contact RSM
27.00	Contact RSM
27.00	Contact RSM
30.00	Contact RSM
31.00	Contact RSM
17.00	Contact RSM
21.90	Contact RSM
25.70	Contact RSM
20.40	Contact RSM
23.10	Contact RSM
22.90	Contact RSM
26.50	Contact RSM



## E2.0 - Crescendo Cards and pivCLASS Smart Cards for Combined Logical and Physical Access Control

### Crescendo C1100:

For ActivID Card Management System

401100xx	<b>Crescendo</b> C1100 contact PKI chip	17.00	<b>Contact RSM</b>
4011002xx	<b>Crescendo with iCLASS</b> C1100 contact PKI chip, 32K bit iCLASS Contactless	21.90	<b>Contact RSM</b>
401100Axx	<b>Crescendo with iCLASS + Prox</b> C1100 contact PKI chip, 32K bit iCLASS Contactless and proximity (HID or Indala)	25.70	<b>Contact RSM</b>
4011004xx	<b>Crescendo with MIFARE Classic</b> C1100 contact PKI chip, 4K byte MIFARE	20.40	<b>Contact RSM</b>
401100Cxx	<b>Crescendo with MIFARE + Prox</b> C1100 contact PKI chip, 4K byte MIFARE, and proximity (HID or Indala)	23.10	<b>Contact RSM</b>
4011006xx	<b>Crescendo with MIFARE DESFire EV1</b> C1100 contact PKI chip, 8K byte MIFARE DESFire EV1	22.90	<b>Contact RSM</b>
401100Gxx	<b>Crescendo with MIFARE DESFire EV1 + Prox</b> C1100 contact PKI chip, 8K byte MIFARE DESFire EV1 and proximity (HID or Indala)	26.50	<b>Contact RSM</b>
401100Fxx	<b>Crescendo with iCLASS + MIFARE Classic</b> C1100 contact PKI chip, 32K bit iCLASS and 4K byte MIFARE	27.00	<b>Contact RSM</b>
401100Hxx	<b>Crescendo with iCLASS + MIFARE DESFire EV1</b> C1100 contact PKI chip, 32K bit iCLASS and 8K byte MIFARE DESFire EV1	27.00	<b>Contact RSM</b>
401100Txx	<b>Crescendo with iCLASS + MIFARE Classic + Prox</b> C1100 contact PKI chip, 32K bit iCLASS, 4K byte MIFARE and proximity (HID or Indala)	30.00	<b>Contact RSM</b>
401100Jxx	<b>Crescendo with iCLASS + MIFARE DESFire EV1 + Prox</b> C1100 contact PKI chip, 32K bit iCLASS, 8K byte MIFARE DESFire EV1 and proximity (HID or Indala)	31.00	<b>Contact RSM</b>
401100Uxx	<b>Crescendo with MIFARE Classic + MIFARE DESFire EV1</b> C1100 contact PKI chip, 4K byte MIFARE and 8K byte MIFARE DESFire EV1	30.00	<b>Contact RSM</b>
401100Xxx	<b>Crescendo with iCLASS Seos + Prox</b> C1100 contact PKI chip, 16K byte Seos and proximity (HID or Indala)	25.30	<b>Contact RSM</b>

USD	
List Price	0.00%
	Unit Price
17.00	Contact RSM
21.90	Contact RSM
25.70	Contact RSM
20.40	Contact RSM
23.10	Contact RSM
22.90	Contact RSM
26.50	Contact RSM
27.00	Contact RSM
27.00	Contact RSM
30.00	Contact RSM
31.00	Contact RSM
30.00	Contact RSM
25.30	Contact RSM



## E2.0 - Crescendo Cards and pivCLASS Smart Cards for Combined Logical and Physical Access Control

### Crescendo C1150:

**Includes Smart Card Minidriver for use with Microsoft CryptoAPI compliant and PKCS#11 applications (such as ActivIdentity ActivClient)**

**Note: ActivClient is not included in the card price**

			USD	
			List Price	0.00% Unit Price
4011500xx	<b>Crescendo</b> C1150 contact PKI chip		17.50	Contact RSM
4011502xx	<b>Crescendo with iCLASS</b> C1150 contact PKI chip, 32K bit iCLASS Contactless		22.40	Contact RSM
401150Axx	<b>Crescendo with iCLASS + Prox</b> C1150 contact PKI chip, 32K bit iCLASS Contactless and proximity (HID or Indala)		26.20	Contact RSM
4011504xx	<b>Crescendo with MIFARE Classic</b> C1150 contact PKI chip, 4K byte MIFARE		20.90	Contact RSM
401150Cxx	<b>Crescendo with MIFARE + Prox</b> C1150 contact PKI chip, 4K byte MIFARE, and proximity (HID or Indala)		23.60	Contact RSM
4011506xx	<b>Crescendo with MIFARE DESFire EV1</b> C1150 contact PKI chip, 8K byte MIFARE DESFire EV1		23.40	Contact RSM
401150Gxx	<b>Crescendo with MIFARE DESFire EV1 + Prox</b> C1150 contact PKI chip, 8K byte MIFARE DESFire EV1 and proximity (HID or Indala)		27.00	Contact RSM
401150Fxx	<b>Crescendo with iCLASS + MIFARE Classic</b> C1150 contact PKI chip, 32K bit iCLASS and 4K byte MIFARE		27.50	Contact RSM
401150Hxx	<b>Crescendo with iCLASS + MIFARE DESFire EV1</b> C1150 contact PKI chip, 32K bit iCLASS and 8K byte MIFARE DESFire EV1		27.50	Contact RSM
401150Txx	<b>Crescendo with iCLASS + MIFARE Classic + Prox</b> C1150 contact PKI chip, 32K bit iCLASS, 4K byte MIFARE and proximity (HID or Indala)		30.50	Contact RSM
401150Jxx	<b>Crescendo with iCLASS + MIFARE DESFire EV1 + Prox</b> , C1150 contact PKI chip, 32K bit iCLASS, 8K byte MIFARE DESFire EV1 and proximity (HID or Indala)		31.50	Contact RSM
401150Uxx	<b>Crescendo with MIFARE Classic + MIFARE DESFire EV1</b> C1150 contact PKI chip, 4K byte MIFARE and 8K byte MIFARE DESFire EV1		30.50	Contact RSM
401150Xxx	<b>Crescendo with iCLASS Seos + Prox</b> C1150 contact PKI chip, 16K byte Seos and proximity (HID or Indala)		25.80	Contact RSM
<b><u>pivCLASS</u></b>				
<b>High Security dual interface smart card for FIPS 201 deployments.</b>				
405000U	<b>pivCLASS Dual Interface card</b> (Contact and contactless PKI chip, 144K byte, FIPS140-2)		26.80	Contact RSM

### Notes: LC Rev. 0114A

- Prices are in U.S. dollars. Taxes and shipping not included.
- Credentials are available with an optional external inkjet number. Refer to the "How to Order Guide" for ordering instructions.  
\* Laser engraved external number is available, but may extend production time.
- Cards are not available with a slot punch.
- Minimum order quantity is 10 for C700, 25 for C1100/C1150/pivCLASS and 100 for C800. Please consult with your HID representative on minimum order quantity for custom cards.
- All cards are available with high coercivity, three track magnetic stripe at no additional charge. Magnetic stripe colors may vary.
- All card orders are final. For details on changes or cancellations, please see HID General Sales Policy.
- Credentials are available with the iCLASS Elite (Part # MC-0036) and/or Corporate 1000 (Part # MC-1000) Formats for an additional charge.
- For a list of all other Credential Options, please refer to the New HID Global "Managed Services" Price Book.
- "xx" = Additional Options, refer to the Logical Access How to Order Guide.

All trademarks and registered trademarks are the properties of their respective companies.

Confidential & Proprietary © 2014 HID Global Corporation. All rights reserved. This document and the information contained herein may not be distributed or published without the express authorization of HID Global.



1.5 - 13.56 MHz Accessories

Part No.	Description	Compatibility Notes	USD	
			List Price	0.00% Unit Price
<b>iCLASS Reader Accessories</b>				
3175xNN00-HRDW	iCLASS RW400 Reader/Writer stand mounted, RS232 connector, and power supply.	(Software development tools CD not included). For development partners that want to bundle their iCLASS application.	600.00	Contact RSM
6303-104-01	Rx10 - Reader Mounting Plate, Any Color	iCLASS, multiCLASS, iCLASS SE, multiCLASS SE	14.00	Contact RSM
6309-103-01	Rx15 - Reader Mounting Plate, Any Color	iCLASS, multiCLASS, iCLASS SE, multiCLASS SE	14.00	Contact RSM
6402-103-01	Rx30 - Reader Mounting Plate, Any Color	iCLASS, multiCLASS, iCLASS SE, multiCLASS SE	14.00	Contact RSM
6403-109-01	Rx40 - Reader Mounting Plate, Any Color	iCLASS, multiCLASS, iCLASS SE, multiCLASS SE	14.00	Contact RSM
6410-102-01	multiCLASS Magnetic Stripe Reader Back Plate, Integrated Magnetic Reader and Read Head, Black	multiCLASS	40.00	Contact RSM
6132AKB	Rx10 - Reader Spacer Kit, Black	iCLASS, iCLASS SE, multiCLASS SE	15.00	Contact RSM
6132AGB	Rx10 - Reader Spacer Kit, Gray	iCLASS, iCLASS SE, multiCLASS SE	15.00	Contact RSM
6132AKC	Rx15 - Reader Spacer Kit, Black	iCLASS, multiCLASS, iCLASS SE, multiCLASS SE	15.00	Contact RSM
6132AGC	Rx15 - Reader Spacer Kit, Gray	iCLASS, multiCLASS, iCLASS SE, multiCLASS SE	15.00	Contact RSM
6132AKD	Rx30 - Reader Spacer Kit, Black	iCLASS, iCLASS SE, multiCLASS SE	15.00	Contact RSM
6132AGD	Rx30 - Reader Spacer Kit, Gray	iCLASS, iCLASS SE, multiCLASS SE	15.00	Contact RSM
6132AKE	Rx40 - Reader Spacer Kit, Black	iCLASS, multiCLASS, iCLASS SE, multiCLASS SE	15.00	Contact RSM
6132AGE	Rx40 - Reader Spacer Kit, Gray	iCLASS, multiCLASS, iCLASS SE, multiCLASS SE	15.00	Contact RSM
6132AK	RKx40 - Keypad Reader Spacer Kit, Black	iCLASS, multiCLASS, iCLASS SE, multiCLASS SE	15.00	Contact RSM
6132AG	RKx40 - Keypad Reader Spacer Kit, Gray	iCLASS, multiCLASS, iCLASS SE, multiCLASS SE	15.00	Contact RSM
6132AKH	RMPx40 - iCLASS, multiCLASS, pivCLASS Wall Switch Keypad Reader Tilted Spacer, right side mounting, Black	iCLASS, multiCLASS, iCLASS SE, multiCLASS SE	15.00	Contact RSM
6132AKF	RMPx40 - iCLASS, multiCLASS, pivCLASS Wall Switch Keypad Reader Flat Spacer, right side mounting, Black	iCLASS, multiCLASS, iCLASS SE, multiCLASS SE	15.00	Contact RSM
6410-307-01	RMK40 multiCLASS Magnetic Stripe Keypad Reader Backplate, Integrated Magnetic Stripe Reader and Read Head, Black	Not Applicable	180.00	Contact RSM
6412-307-01	RM40 multiCLASS Magnetic Stripe Keypad Reader Backplate, Integrated Magnetic Stripe Reader and Read Head, Black	Not Applicable	180.00	Contact RSM
6410-303-01	RMPK40 multiCLASS keypad Magnetic Stripe Reader backplate with integrated Magnetic Stripe assembly, Black	Not Applicable	215.00	Contact RSM
0501600475-CONFIG	iCLASS SE Configuration Card. Initialized. Not Programmed	Not Applicable	20.00	Contact RSM
CC2000-xx-xx-xxxxxx	iCLASS Readers: Single Configuration Card. Refer to the How to Order Guide for a full parts list	Standard iCLASS Readers (Rev A, Rev B, Rev C)	10.00	Contact RSM
CCE2000-xx-xx-xxxxxx	iCLASS Elite Readers: Single Configuration Card. Refer to the How to Order Guide for a full parts list	Standard iCLASS Readers (Rev A, Rev B, Rev C)	10.00	Contact RSM
CP2000-00-XX0000	iCLASS Readers: Beeper LED Configuration Card Pack	Standard iCLASS Readers (Rev A, Rev B, Rev C)	80.00	Contact RSM
CP2000-00-00-000X00	iCLASS Readers: Mifare Card Serial Number (CSN) Configuration Card Pack	Standard iCLASS Readers (Rev A, Rev B, Rev C)	80.00	Contact RSM
CP2000-00-01-0000XX	iCLASS Readers: Keypad Configuration Card Pack	Standard iCLASS Readers (Rev A, Rev B, Rev C)	90.00	Contact RSM
CP2000-00-18-000X00	iCLASS Readers: Magnetic Stripe Data Output Configuration Card Pack	Standard iCLASS Readers (Rev A, Rev B, Rev C)	140.00	Contact RSM
CP2000-00-03-000X00	iCLASS Readers: EM4102 Output - Mifare CSN Suppressed Configuration Card Pack	Standard iCLASS Readers (Rev A, Rev B, Rev C)	90.00	Contact RSM
CP2000-07-00-000X00	iCLASS Readers: Mifare CSN, FeliCa, CEPAS Configuration Card Pack	Standard iCLASS Readers (Rev A, Rev B, Rev C)	110.00	Contact RSM
IP65GSKT-R10	IP65 Gasket Kit. (10) pieces per kit. For use with model R10	iCLASS SE, multiCLASS SE, pivCLASS (R/RP10, R/RP15, R/RP30, R/RP40, RK40/RPK40 pigtail only)	140.00	Contact RSM
IP65GSKT-R15	IP65 Gasket Kit. (10) pieces per kit. For use with model R15	iCLASS SE, multiCLASS SE, pivCLASS (R/RP10, R/RP15, R/RP30, R/RP40, RK40/RPK40 pigtail only)	140.00	Contact RSM
IP65GSKT-R30	IP65 Gasket Kit. (10) pieces per kit. For use with model R30	iCLASS SE, multiCLASS SE, pivCLASS (R/RP10, R/RP15, R/RP30, R/RP40, RK40/RPK40 pigtail only)	140.00	Contact RSM
IP65GSKT-R40	IP65 Gasket Kit. (10) pieces per kit. For use with model R40	iCLASS SE, multiCLASS SE, pivCLASS (R/RP10, R/RP15, R/RP30, R/RP40, RK40/RPK40 pigtail only)	140.00	Contact RSM



## 1.5 - 13.56 MHz Accessories

Part No.	Description	Compatibility Notes	USD	
			List Price	0.00% Unit Price
IP65GSKT-RK40	IP65 Gasket Kit. (10) pieces per kit. For use with model RK40	iCLASS SE, multiCLASS SE, pivCLASS (R/RP10, R/RP15, R/RP30, R/RP40, RK40/RPK40 pigtail only)	140.00	Contact RSM
SEC9Xxxxxxxxxxx	Reader programming cards, configuration. Refer to the How to Order Guide for a full parts list	iCLASS SE, multiCLASS SE	30.00	Contact RSM
SEF9xxxxxx	Reader programming cards, firmware. Refer to the How to Order Guide for a full parts list	iCLASS SE, multiCLASS SE	60.00	Contact RSM
CONFIG-0001	Config Card Pack, OSDP Addresses 0-8, Non-LCD Readers	iCLASS	40.00	Contact RSM
CONFIG-0002	Config Card Pack, OSDP Addresses 0-8, LCD Readers	iCLASS	40.00	Contact RSM
SE-OSDP-1	OSDP Upgrade kit for 1 reader	iCLASS SE, multiCLASS SE	44.00	Contact RSM
SE-OSDP-5	OSDP Upgrade kit for 5 readers	iCLASS SE, multiCLASS SE	184.00	Contact RSM
SE-OSDP-10	OSDP Upgrade kit for 10 readers	iCLASS SE, multiCLASS SE	359.00	Contact RSM

## Mifare/DESFire Reader Accessories

FPZ3511H	HID Bezel Cover, Arch Slim Reader - Black	Not Applicable	14.00	Contact RSM
FPZ3517H	HID Bezel Cover, Arch Slim Reader - Beige	Not Applicable	14.00	Contact RSM
FPZ3521H	HID Bezel Cover, Arch Wall Switch Reader - Black	Not Applicable	14.00	Contact RSM
FPZ3527H	HID Bezel Cover, Arch Wall Switch Reader - Beige	Not Applicable	14.00	Contact RSM
FPZC1511H	HID Bezel Cover, Wave Slim Reader - Black	Not Applicable	14.00	Contact RSM
FPZC1514H	HID Bezel Cover, Wave Slim Reader - Blue	Not Applicable	14.00	Contact RSM
FPZC1524H	HID Bezel Cover, Wave, Wall Switch Reader - Blue	Not Applicable	14.00	Contact RSM
5395-104-01	Classic cover, MIFARE Reader (6055B) - White	Not Applicable	30.00	Contact RSM
5395-104-02	Classic cover, MIFARE Reader (6055B) - Beige	Not Applicable	30.00	Contact RSM
5395-104-03	Classic cover, MIFARE Reader (6055B) - Black	Not Applicable	30.00	Contact RSM
5395-104-04	Classic cover, MIFARE Reader (6055B) - Charcoal Gray	Not Applicable	30.00	Contact RSM
5395-371-01	Designer cover, MIFARE Reader (6055B) - Black	Not Applicable	30.00	Contact RSM
5395-371-02	Designer cover, MIFARE Reader (6055B) - Charcoal Gray	Not Applicable	30.00	Contact RSM
5395-371-04	Designer cover, MIFARE Reader (6055B) - Wave Blue	Not Applicable	30.00	Contact RSM
5395-371-05	Designer cover, MIFARE Reader (6055B) - White	Not Applicable	30.00	Contact RSM

## SmartID™ Reader Accessories

0055A	Screw Cover	SmartID, SmartTRANS (Gen 2 Only)	3.00	Contact RSM
0056A	Black Plexiglass Cover	SmartID, SmartTRANS (Gen 2 Only)	5.00	Contact RSM
0300A	Tamper Switch	SmartID, SmartTRANS (Gen 1/2)	20.00	Contact RSM
0057A	8P Connector	SmartID, SmartTRANS (Gen 1/2)	8.00	Contact RSM
8090AS	Single Gang Wallswitch Plate	SmartID, SmartTRANS (Gen 2 Only)	28.00	Contact RSM
9287AS	Spacer Kit	SmartID, SmartTRANS (Gen 2 Only)	28.00	Contact RSM

## Card Accessories &amp; Options

Magnetic Stripe	Adder to all PVC card prices: High or Low Coercivity, 2750 Orsted, BASF, JIS, or 3M	Not Applicable	1.10	Contact RSM
Signature Panel	Adder to all PVC card prices: Signature Panel Per Side	Not Applicable	1.10	Contact RSM
Composite Cards	Adder to all PVC card prices: Composite 40% Polyester + 60% PVC	Not Applicable	0.40	Contact RSM
Laser Engraving	Adder to all PVC card prices: Laser engraved external number	Not Applicable	0.20	Contact RSM
MIFARE/DESFire Programming	Adder to MIFARE/DESFire card price: Programming of the MIFARE/DESFire Portion with an HID/OEM Proximity Format	Not Applicable	0.20	Contact RSM
Clamshell adhesive front	Adder to Clamshell Card price: Peel-off self-adhesive front Add-on option	Not Applicable	0.50	Contact RSM
LC-0011	Card expedite fee, 100 to 250 cards (Consult your factory for availability)	Not Applicable	200.00	Contact RSM
LC-0012	Card expedite fee, 251 to 500 cards (Consult your factory for availability)	Not Applicable	500.00	Contact RSM
MC-0036	iCLASS Elite Program fee per card	Not Applicable	0.30	Contact RSM
MC-0038	Reprogramming fee for Physical Access iCLASS, HID Prox, Indala Prox or SmartID Reader	Not Applicable	30.00	Contact RSM
MC-1000	Corporate 1000 Format programming fee (per credential)	Not Applicable	0.30	Contact RSM

## Notes: AC Rev. 0114C

- Prices are in U.S. dollars. Taxes and shipping not included.
- Reader Spacer Kit: x = Any combination of P, W and S that is noted available on the reader ordering pages. Example: Rx40 Spacer works with RSK40, RSPK40, RWK400 and RK40.

All trademarks and registered trademarks are the properties of their respective companies.

Confidential & Proprietary © 2014 HID Global Corporation. All rights reserved. This document and the information contained herein may not be distributed or published without the express authorization of HID Global.



## 2.0 - 125 kHz Proximity Access Control Readers

### Category RA

5365/5368	MiniProx <sup>®</sup> Proximity Reader
5395/5398	ThinLine <sup>®</sup> II Switch Plate Proximity Reader
5405/5408	Prox80 <sup>™</sup> Proximity Reader

### Category RB

5355/5358/5352	ProxPro <sup>®</sup> Proximity Reader
5455/5458	ProxPro <sup>®</sup> II Proximity Reader

### Category RC

5355/5352-Keypad	ProxPro <sup>®</sup> Proximity Reader with Keypad
5375	MaxiProx <sup>®</sup> Long Range Proximity Reader
5365XXHXX	MiniProx Proximity Reader with Hazardous Location kit

### Category RD

6005/6008	ProxPoint <sup>®</sup> Plus Proximity Reader
-----------	--

### Category RE

4045xGNU0	EntryProx <sup>™</sup> Stand-Alone Access Control Proximity Reader
4045xGKU0	EntryProx <sup>™</sup> Reader Kit, includes 10 ProxKey <sup>®</sup> Keyfobs
4045xGCU0	EntryProx <sup>™</sup> Reader Kit, includes 20 ProxCard <sup>®</sup> II Cards

USD	
List Price	Unit Price
	0.00% RA
276.04	Contact RSM
281.19	Contact RSM
291.49	Contact RSM
	0.00% RB
317.24	Contact RSM
286.34	Contact RSM
	0.00% RC
502.64	Contact RSM
821.94	Contact RSM
574.74	Contact RSM
	0.00% RD
142.14	Contact RSM
	0.00% RE
353.29	Contact RSM
435.69	Contact RSM
435.69	Contact RSM



Base Part Number	Model Name	Dimensions	Power Supply	Current Requirements	Operating Temperature	Weight	Hardware Options
6005 (Wiegand) 6008 (C&D)	ProxPoint <sup>®</sup> Plus	3.1"x1.7"x0.66" (7.9x4.4x1.7cm)	5-16 VDC	20mA avg 75mA peak at 12VDC	(-22° - 150° F) (-30° - 65° C)	2.7 oz (75 g)	PT:18" or 9' (45 cm/2.7m)
5365 (Wiegand) 5368 (C&D)	MiniProx <sup>®</sup>	6.0"x1.7"x1.0" (15.2x4.3x2.54cm)	5-16 VDC	20mA avg 110mA peak at 12VDC	(-22° - 150° F) (-30° - 65° C)	3.5 oz (99 g)	PT:18" or 9' (45 cm/2.7m) and TS
5395 (Wiegand) 5398 (C&D)	ThinLine <sup>®</sup> II	4.7"x3.0"x0.68" (11.9x7.6x1.7cm)	5-16 VDC	20mA avg 115mA peak at 12VDC	(-22° - 150° F) (-30° - 65° C)	3.3 oz (94 g)	PT:18" or 9' (45 cm/27m)
5355 (Wiegand) 5358 (C&D) 5352 (Serial)	ProxPro <sup>®</sup>	5.0"x5.0"x1.0" (12.7x12.7x2.5cm)	10-28.5 VDC	100mA avg 120mA peak at 12VDC	(-22° - 150° F) (-30° - 65° C)	12 oz (336 g)	TS Only
5455 (Wiegand) 5458 (C&D)	ProxPro <sup>®</sup> II	5.0"x5.0"x1.0" (12.7x12.7x2.5cm)	5-16 VDC	25mA avg 125mA peak at 12VDC	(-22° - 150° F) (-30° - 65° C)	13.6 oz (385 g)	PT:18" or 9' (45 cm/2.7m)
5355 (Wiegand) 5358 (C&D) 5352 (Serial)	ProxPro <sup>®</sup> w/keypad	5.0"x5.0"x1.0" (12.7x12.7x2.5cm)	10-28.5 VDC	100mA avg 120mA peak at 12VDC	(-22° - 150° F) (-30° - 65° C)	12 oz (336 g)	TS Only
5405 (Wiegand) 5408 (Serial)	Prox80 <sup>™</sup>	3.1"x3.1"x0.75" (8.0x8.0x1.9cm)	5-16 VDC	20mA avg 115mA peak at 12VDC	(-22° - 150° F) (-30° - 65° C)	2.2 oz (62 g)	PT:9" (2.7m)
5375 (Wiegand, C&D, and Serial)	MaxiProx <sup>®</sup>	11.8"x11.8"x1.0" (30x30x2.54cm)	12 or 24 VDC	200mA avg 700mA peak at 12VDC	(-22° - 150° F) (-30° - 65° C)	51 oz (1.4 kg)	TS Only
4045	EntryProx <sup>™</sup>	5.25"x2.75"x1.625" (13.33x7x4.1cm)	10-15 VDC	150mA peak at 12VDC	(-22° - 150° F) (-30° - 65° C)	5.6 oz (158 g)	PT:8" (20cm)







PT = Pigtail (Cable)  
TS = Terminal Strip  
C&D = Clock & Data output

### Notes: PR Rev. 0114A

- Prices are in U.S. dollars. Taxes and shipping not included.
- All readers are available in Wiegand output. The ProxPro reader is available in a RS232 output version (P/N PS-5352). The ProxPro, ProxPro II, Prox80, MiniProx and ThinLine II readers are available in a magnetic stripe output version (P/N 5358 for ProxPro, P/N 5458 for ProxPro II, P/N 5408 for Prox80, P/N 5368 for MiniProx, 5398 for ThinLine II and 6008 ProxPoint Plus).
- Refer to the "How to Order Guide" for all available part numbers and options.
- ProxPro II, MiniProx, ThinLine II and ProxPoint Plus Readers are available with 9 feet/3 meters pigtail for an additional charge, please refer to section 2.5 for pricing, and the optional 9 foot pigtail cables are available through our HID European office and can also be available in the Americas and Asia Pacific regions via special order of 2,500 unit minimum order quantity. Please call the HID factory for pricing and lead-times.
- Proximity cards and keyfobs included in EntryProx kits will be programmed with HID's 37-bit Wiegand format (H10302). HID tracks the issuance of this format and does not duplicate numbers. Numbers will be issued in random order. An EntryProx antenna is included with the purchase of the EntryProx reader.



## 2.1 - 125 kHz Proximity Access Control Credentials

			USD	
			List Price	0.00% Unit Price
1326		ProxCARD® II Proximity Access Card (Clam shell)	3.43	Contact RSM
1326xAxxV		ProxCARD® II Proximity Access Card (Clam shell), with peel-off self-adhesive front	4.06	Contact RSM
1336		DuoProx® II Graphics Quality PVC, Proximity Access Card, with Magnetic Stripe	6.93	Contact RSM
1546		HITAG 1 Proximity Contactless Smart Card – 125 kHz	7.44	Contact RSM
1346		ProxKey® III Proximity Access Keyfob	6.82	Contact RSM
1351		ProxPass® II Long Range Active Proximity Access Tag for Vehicle Access	39.08	Contact RSM
1386		ISOProx® II Graphics Quality PVC, Proximity Access Card	6.30	Contact RSM
1391		MicroProx® Proximity Access Tag with peel-off self-adhesive back	4.58	Contact RSM

**Notes: PC Rev. 0114A**

- Prices are in U.S. dollars. Taxes and shipping not included.
  - Credentials are available with an optional external inkjet number. Refer to the "How to Order Guide" for ordering instructions.
    - \* Laser engraved external number is available on PVC thin cards and ProxKey for an additional charge, please refer to section 2.5 for pricing.
  - Cards are available with an optional slot punch. Some dye sublimation printers cannot accommodate pre-slot punched cards. Please consult with the printer manufacturer prior to ordering.
  - Minimum order quantity is 100 for all standard proximity cards, keys & tags, 500 for custom cards or cards with custom artwork, 10 for ProxPass II tag. Consult factory for minimum order quantity and price quote on all custom tags/keys; & ProxCARD II cards with solid color base.
  - ISOProx II, DuoProx II, Smart ISOProx II, and Smart DuoProx II cards are available with an optional Debitek stripe, signature panel, or magnetic stripe for an additional charge, please refer to section 2.5 for pricing. Standard magnetic stripe is 3 Tracks 4000 OE, other magnetic stripes are available. Please consult factory.
  - All orders are final. For details on changes or cancellations, please see HID General Sales Policy.
  - Credentials are available with the Corporate 1000 Format (Part # MC-1000) for an additional charge, please refer to section 2.5 for pricing.
  - MicroProx Tags are packaged in multiples of 50 pieces. Minimum order quantity is 100 pieces; orders will be accepted in multiples of 50 pieces thereafter.
  - HID Proximity 125 kHz credentials are available non-programmed for use with HID ProxProgrammer. Please refer to section 2.5 for discounts on non-programmed Credentials.
  - Above listed prices do not include Contact Smart Chip Module.
  - For a list of all other Credential Options, please refer to the New HID Global "Managed Services" Price Book.
- All trademarks and registered trademarks are the properties of their respective companies.  
 Confidential & Proprietary © 2014 HID Global Corporation. All rights reserved. This document and the information contained herein may not be distributed or published without the express authorization of HID Global.



## 2.3 - Indala 125 kHz Proximity Access Control Products

Part No.	Description	USD	
		List Price	0.00%
			Unit Price
<b>Indala 125 kHz Credentials</b>			
CXCRD-MSSMW-0000	CXCard, Clamshell, with Logo, Matching, Casi® Compatible.	3.70	Contact RSM
CXCRD-QSSMW-0000	CXCard, Clamshell, with Logo, Non Matching, Casi Compatible.	3.70	Contact RSM
CXCRD-SCSMW-0000	CXCard, Clamshell, White, without Logo, Casi Compatible.	3.20	Contact RSM
CXCRD-SSSKW-0000	CXCard, Clamshell, with Logo, Casi Compatible.	3.20	Contact RSM
CXCRD-SSSMW-0000	CXCard, Clamshell, with Logo, Casi Compatible.	3.20	Contact RSM
CXISO-MSSCNA-0000	CXISO No Magstripe, Matching, Casi Compatible.	6.44	Contact RSM
CXISO-MSSCNB-0000	CXISO 4000, Magstripe, Matching, Casi Compatible.	6.84	Contact RSM
CXISO-QSSCNA-0000	CXISO No Magstripe, Non Matching, Casi Compatible.	6.44	Contact RSM
CXISO-QSSCNB-0000	CXISO 4000, Magstripe, Non Matching, Casi Compatible.	6.84	Contact RSM
CXISO-QSSCVA-0000	CXISO No Magstripe, Non Matching, Casi Compatible.	6.84	Contact RSM
CXISO-QSSPNA-0000	CXISO No Magstripe, Non Matching, Casi Compatible.	6.94	Contact RSM
CXISO-SSSCHA-0000	CXISO 30 No Magstripe, Horizontal slot, Casi Compatible.	6.34	Contact RSM
CXISO-SSSCNA-0000	CXISO No Magstripe, Casi Compatible.	5.94	Contact RSM
CXISO-SSSCNB-0000	CXISO 4000, Magstripe, Casi Compatible.	6.34	Contact RSM
CXISO-SSSCVA-0000	CXISO No Magstripe Vertical Slot, Casi Compatible.	5.94	Contact RSM
CXIXT-MSSCNA-0000	CXISOXT, No Magstripe, Matching, Casi Compatible.	8.40	Contact RSM
CXIXT-MSSCNB-0000	CXISOXT, 4000, Magstripe, Matching, Casi Compatible.	8.86	Contact RSM
CXIXT-MSSCVA-0000	CXISOXT, No Magstripe Matching, Casi Compatible.	8.86	Contact RSM
CXIXT-QSSCNB-0000	CXISOXT, 4000, Magstripe, Non Matching, Casi Compatible.	8.86	Contact RSM
CXIXT-SSSCNA-0000	CXISOXT, No Magstripe, Casi Compatible.	7.82	Contact RSM
CXIXT-SSSCNB-0000	CXISOXT, 4000 Magstripe, Casi Compatible.	8.28	Contact RSM
CXIXT-SSSCVA-0000	CXISOXT, No Magstripe, Casi Compatible.	8.28	Contact RSM
CXKEY-MSSS-0000	CXKeytag, Matching, Casi Compatible.	5.94	Contact RSM
CXKEY-QSSS-0000	CXKeytag, Non Matching, Casi Compatible.	5.94	Contact RSM
CXKEY-SSSS-0000	CXKeytag, Programmed, Casi Compatible.	5.43	Contact RSM
CXPL5-MCCCHA-0000	CXPL5 Card, White/White, Casi Compatible.	8.45	Contact RSM
CXPL5-MCCNA-0000	CXPL5 Card, White/White, Matching, Casi Compatible.	8.03	Contact RSM
CXPL5-MSCCNA-0000	CXPL5 - 50 Mil PVC Card W/CX Blue Logo, No Magstripe, Casi Compatible.	8.03	Contact RSM
CXPL5-QCCNA-0000	CXPL5 Card, White/White, Non, Matching, Casi Compatible.	8.03	Contact RSM
CXPL5-QCCVA-0000	CXPL5 Card, White/White, Vertical Slot, Non Matching, Casi Compatible.	8.03	Contact RSM
CXPL5-QSCCNA-0000	CXPL5 - 50 Mil PVC Card W/CX Blue Logo, No Magstripe, Casi Compatible.	8.03	Contact RSM
CXPL5-QSCCVA-0000	CXPL5 - 50 Mil PVC Card W/CX Blue Logo, Vertical. Slot, No Magstripe, Casi Compatible.	8.03	Contact RSM
CXPL5-SCCCHA-0000	CXPL5 Card White/White No Magstripe. Horizontal Slot, Casi Compatible.	7.92	Contact RSM
CXPL5-SCCNA-0000	CXPL5 Card, White/White No Magstripe, Casi Compatible.	7.49	Contact RSM
CXPL5-SCCVA-0000	CXPL5 Card, White/White, No Magstripe, Vertical Slot, Casi Compatible.	7.49	Contact RSM
CXPL5-SSCCHA-0000	CXPL5 - 50 Mil PVC Card W/CX Blue Logo, Horizontal. Slot, No Magstripe, Casi Compatible.	7.49	Contact RSM
CXPL5-SSCNA-0000	CXPL5 - 50 Mil PVC Card W/CX Blue Logo, No Magstripe, Casi Compatible.	7.49	Contact RSM
CXPL5-SSCVA-0000	CXPL5 - 50 Mil PVC Card W/CX Blue Logo, Vertical. Slot, No Magstripe, Casi Compatible.	7.49	Contact RSM
CXPL5-XCCNA-0000	CXPL5 - 50 Mil PVC Card, White, Custom Marking Location, No Magstripe, Casi Compatible.	7.49	Contact RSM
CXTAG-MSSS-0002	CX Tag Gray 125kHz Coil Matching, Casi Compatible.	4.64	Contact RSM
CXTAG-QSSS-0002	CX Tag 125khz Coil Non Matching, Casi Compatible.	4.64	Contact RSM
CXTAG-SSSS-0002	CX Tag Gray 125kHz Coil, Casi Compatible.	4.14	Contact RSM
FPCRD-NCSAW-0000	FlexCard™, Clamshell, White without Logo	3.30	Contact RSM
FPCRD-NCSCP-0000	FlexCard™, Clamshell, Printable without Logo	3.30	Contact RSM
FPCRD-NCSCW-0000	FlexCard™, Clamshell, White without Logo	3.30	Contact RSM
FPCRD-NCSMP-0000	FlexCard™, Clamshell, Printable without Logo	3.30	Contact RSM
FPCRD-NCSMW-0000	FlexCard™, Clamshell, White without Logo	3.30	Contact RSM
FPCRD-NSSCP-0000	FlexCard™, Clamshell, Printable with Logo	3.30	Contact RSM
FPCRD-NSSCW-0000	FlexCard™, Clamshell, White with Logo	3.30	Contact RSM
FPCRD-NSSMP-0000	FlexCard™, Clamshell, White with Logo	3.30	Contact RSM
FPCRD-NSSMP-0000	FlexCard™, Clamshell, Printable with Logo	3.30	Contact RSM
FPCRD-NSSMW-0000	FlexCard™, Clamshell, White with Logo	3.30	Contact RSM
FPCRD-SCSAW-0000	FlexCard™, Clamshell, White without Logo	3.30	Contact RSM
FPCRD-SCSCP-0000	FlexCard™, Clamshell, Printable without Logo	3.30	Contact RSM
FPCRD-SCSMP-0000	FlexCard™, Clamshell, Printable without Logo	3.30	Contact RSM
FPCRD-SCSMW-0000	FlexCard™, Clamshell, White without Logo	3.30	Contact RSM
FPCRD-SSSCP-0000	FlexCard™, Clamshell, Printable with Logo	3.30	Contact RSM
FPCRD-SSSCW-0000	FlexCard™, Clamshell, White with Logo	3.30	Contact RSM
FPCRD-SSSKW-0000	FlexCard™, Clamshell, White with Logo	3.30	Contact RSM
FPCRD-SSSMP-0000	FlexCard™, Clamshell, Printable, with Logo	3.30	Contact RSM
FPCRD-SSSMW-0000	FlexPass™, Clamshell Card	3.30	Contact RSM
FPCRD-SSSPW-0000	FlexCard™, Clamshell, White with Logo	3.30	Contact RSM
FPDXI-CSSCNA-0000	FlexPass™, 125 kHz/13.56MHz DESFire 4K ISO Card No Magstripe, Custom Format	11.80	Contact RSM
FPDXI-SSSCNA-0000	FlexPass™, 125 kHz/13.56MHz DESFire 4K ISO Card No Magstripe	11.80	Contact RSM





## 2.3 - Indala 125 kHz Proximity Access Control Products

Part No.	Description	USD	
		List Price	0.00%
			Unit Price
<b>Indala 125 kHz Credentials</b>			
FPISO-NSSCHA-0000	FlexPass™, ISO 30 No Magstripe	6.10	Contact RSM
FPISO-NSSCHB-0000	FlexPass™, ISO 30 4000 Magstripe	6.50	Contact RSM
FPISO-NSSCNA-0000	FlexPass™, ISO 30 No Magstripe	6.10	Contact RSM
FPISO-NSSCNB-0000	FlexPass™, ISO 30 4000 Magstripe	6.50	Contact RSM
FPISO-NSSCND-0000	FlexPass™, ISO 30 2750 Magstripe	6.50	Contact RSM
FPISO-NSSCNH-0000	FlexPass™, ISO 30 Logo Magstripe	6.50	Contact RSM
FPISO-NSSCVA-0000	FlexPass™, ISO 30 No Magstripe	6.10	Contact RSM
FPISO-NSSCVB-0000	FlexPass™, ISO 30 4000 Magstripe	6.50	Contact RSM
FPISO-NSSCVD-0000	FlexPass™, ISO 30 2750 Magstripe	6.50	Contact RSM
FPISO-SSSCHA-0000	FlexPass™, ISO 30 No Magstripe	6.10	Contact RSM
FPISO-SSSCHB-0000	FlexPass™, ISO 30 4000 Magstripe	6.50	Contact RSM
FPISO-SSSCHD-0000	FlexPass™, ISO 30 2750 Magstripe	6.50	Contact RSM
FPISO-SSSCNA-0000	FlexPass™, Proximity Card, No Magstripe	6.10	Contact RSM
FPISO-SSSCNB-0000	FlexPass™, Proximity Card with Magstripe	6.50	Contact RSM
FPISO-SSSCNC-0000	FlexPass™, ISO, FLEXPASS, Prog., Indala E4 Bug W/Crosshairs, Inkjet, No Slot, Magstripe	6.90	Contact RSM
FPISO-SSSCND-0000	FlexPass™, ISO 2750 Magstripe	6.50	Contact RSM
FPISO-SSSCNE-0000	FlexPass™, ISO Girovend Magstripe	6.50	Contact RSM
FPISO-SSSCNF-0000	FlexPass™, ISO JIS-2 Magstripe	6.50	Contact RSM
FPISO-SSSCNG-0000	FlexPass™, ISO 30 Debit 2799 And 2750 Magstripe	6.50	Contact RSM
FPISO-SSSCNI-0000	FlexPass™, ISO Two 4000 Magstripe	6.50	Contact RSM
FPISO-SSSCNJ-0000	FlexPass™, ISO Two 2750 Magstripe	6.50	Contact RSM
FPISO-SSSCVA-0000	FlexPass™, ISO 30 No Magstripe	6.10	Contact RSM
FPISO-SSSCVB-0000	FlexPass™, ISO 30 4000 Magstripe	6.50	Contact RSM
FPISO-SSSCVC-0000	FlexPass™, ISO 30 Debit 2799 And 4000 Magstripe	6.90	Contact RSM
FPISO-SSSCVD-0000	FlexPass™, ISO 30 2750 Magstripe	6.50	Contact RSM
FPIXT-NSSCNA-0000	FlexPass™, ISO XT Standard No Magstripe	8.05	Contact RSM
FPIXT-NSSCNB-0000	FlexPass™, ISO XT 4000 Magstripe	8.51	Contact RSM
FPIXT-SSSCNA-0000	FlexPass™, ISO XT Composite Proximity Card with No Magstripe	8.05	Contact RSM
FPIXT-SSSCNB-0000	FlexPass™, ISO XT Composite Proximity Card with Magstripe	8.51	Contact RSM
FPIXT-SSSCVA-0000	FlexPass™, ISO XT Standard No Magstripe	8.05	Contact RSM
FPKEY-NSSS-0000	FlexKey™, Keytag Un-programmed	5.64	Contact RSM
FPKEY-SSSS-0000	FlexPass™ Keytag	5.64	Contact RSM
FPMXI-CSSCNA-0000	FlexPass™, 125 kHz/13.56MHz mifare 1K ISO Card No Magstripe, Custom Format	7.70	Contact RSM
FPMXI-CSSCNAB-0000	FlexPass™, 125 kHz/13.56MHz mifare 4K ISO Card No Magstripe, Custom Format	11.12	Contact RSM
FPMXI-CSSCNBA-0000	FlexPass™, 125 kHz/13.56MHz mifare 1K ISO Card With Magstripe, Custom Format	8.25	Contact RSM
FPMXI-NSSCNA-0000	FlexPass™, 125 kHz/13.56MHz mifare 1K ISO Card No Magstripe	7.70	Contact RSM
FPMXI-NSSCNBA-0000	FlexPass™, 125 kHz/13.56MHz mifare 1K ISO Card With Magstripe, Nitro Programming	8.25	Contact RSM
FPMXI-SSSCNA-0000	FlexPass™, 125 kHz/13.56MHz mifare 1K ISO Card No Magstripe	7.70	Contact RSM
FPMXI-SSSCNAB-0000	FlexPass™, 125 kHz/13.56MHz mifare 4K ISO Card No Magstripe	11.12	Contact RSM
FPMXI-SSSCNBA-0000	FlexPass™, 125 kHz/13.56MHz mifare 1K ISO Card With Magstripe	8.25	Contact RSM
FPPL5-SSCCNA-0000	FPPL5 Card White/White No Magstripe	8.05	Contact RSM
FPPL5-SCCCVA-0000	FPPL5 Card White/White No Magstripe	8.05	Contact RSM
FPTAG-NSSS-0002	FlexTag Gray 125khz Coil	4.76	Contact RSM
FPTAG-SSSS-0002	FlexTag Grey 125 KHz Coil	4.76	Contact RSM



## 2.3 - Indala 125 kHz Proximity Access Control Products

Part No.	Description	USD	
		List Price	0.00%
			Unit Price
<b>Indala 125 kHz Readers</b>			
ASR-503-NGR	Legacy Mullion Reader	402.73	Contact RSM
ASR-503-NGR/L	ASR-503,NGR,V2,120",CABLE	408.91	Contact RSM
ASR-505-NGR-BGE	Legacy Beige Wallswitch reader	419.21	Contact RSM
ASR-505-NGR-BLK	Legacy Black Wallswitch Reader	419.21	Contact RSM
ASR-505-NGR-BLK/L	ASR-505,NGR,BLACK,W/120",CABLE	425.39	Contact RSM
ASR-620++	ASR-620++, Long Range Reader	981.59	Contact RSM
ASR-620++/L	ASR-620++/L,120", Long Range Reader with Cable	981.59	Contact RSM
FP0200A	FlexPass™ Midrange Core Electronics Module with 18" (46cm) Cable	338.87	Contact RSM
FP0200S	FlexPass™ Midrange Serial Core Electronics Module with 18" (46cm) Cable	400.67	Contact RSM
FP0500A	FlexPass™ Core Electronics Module with 18" (46cm) Cable	233.81	Contact RSM
FP0500A/L	FlexPass™ Core Electronics Module with 10 ft (3m) Cable	239.99	Contact RSM
FP1231A	Wave Midrange 12" Read Range, Black Reader, Wiegand Output	359.47	Contact RSM
FP1231S	Wave Serial Midrange 12" Read Range, Black Reader, Serial Output	421.27	Contact RSM
FP1234A	Wave Midrange 12" Read Range, Blue Reader, Wiegand Output	359.47	Contact RSM
FP1234S	Wave Serial Midrange 12" Read Range, Blue Reader, Serial Output	421.27	Contact RSM
FP1511A	Wave Slim 5" Read Range, Black Reader, Wiegand Output	248.23	Contact RSM
FP1514A	Wave Slim 5" Read Range, Blue Reader, Wiegand Output	248.23	Contact RSM
FP1521A	Wave Wallswitch 5" Read Range, Black Reader, Wiegand Output	248.23	Contact RSM
FP1524A	Wave Wallswitch 5" Read Range, Blue Reader, Wiegand Output	248.23	Contact RSM
FP2511A	Curve Slim 5" Read Range, Black Reader, Wiegand Output	248.23	Contact RSM
FP2521A	Curve Wallswitch 5" Read Range, Black Reader, Wiegand Output	248.23	Contact RSM
FP3231A	Arch Midrange 12" Read Range, Black Reader, Wiegand Output	359.47	Contact RSM
FP3231S	Arch Serial Midrange 12" Read Range, Black Reader, Serial Output	421.27	Contact RSM
FP3235A	Arch Midrange 12" Read Range, Grey Reader, Wiegand Output	359.47	Contact RSM
FP3235S	Arch Serial Midrange 12" Read Range, Grey Reader, Serial Output	421.27	Contact RSM
FP3236A	Arch Midrange 12" Read Range, White Reader, Wiegand Output	359.47	Contact RSM
FP3236S	Arch Serial Midrange 12" Read Range, White Reader, Serial Output	421.27	Contact RSM
FP3237A	Arch Midrange 12" Read Range, Beige Reader, Wiegand Output	359.47	Contact RSM
FP3237S	Arch Serial Midrange 12" Read Range, Beige Reader, Serial Output	421.27	Contact RSM
FP3511A	Arch Slim 5" Read Range, Black Reader, Wiegand Output	248.23	Contact RSM
FP3515A	Arch Slim 5" Read Range, Grey Reader, Wiegand Output	248.23	Contact RSM
FP3516A	Arch Slim 5" Read Range, White Reader, Wiegand Output	248.23	Contact RSM
FP3517A	Arch Slim 5" Read Range, Beige Reader, Wiegand Output	248.23	Contact RSM
FP3521A	Arch Wallswitch 5" Read Range, Black Reader, Wiegand Output	248.23	Contact RSM
FP3525A	Arch Wallswitch 5" Read Range, Grey Reader, Wiegand Output	248.23	Contact RSM
FP3526A	Arch Wallswitch 5" Read Range, White Reader, Wiegand Output	248.23	Contact RSM
FP3527A	Arch Wallswitch 5" Read Range, Beige Reader, Wiegand Output	248.23	Contact RSM
FP4511A	Linear Slim 5" Read Range, Black Reader, Wiegand Output	248.23	Contact RSM
FP4517A	Linear Slim 5" Read Range, Beige Reader, Wiegand Output	248.23	Contact RSM
FP4521A	Linear Wallswitch 5" Read Range, Black Reader, Wiegand Output	248.23	Contact RSM
FP4525A	Linear Wallswitch 5" Read Range, Grey Reader, Wiegand Output	248.23	Contact RSM
FP4526A	Linear Wallswitch 5" Read Range, White Reader, Wiegand Output	248.23	Contact RSM
FP4527A	Linear Wallswitch 5" Read Range, Beige Reader, Wiegand Output	248.23	Contact RSM
FP4551A	Linear Classic 5" Read Range, Black Reader, Wiegand Output	248.23	Contact RSM
FP5061B	FlexPass™ Keypad ARK-501+ Black Buffered or 8-Bit Burst Reader	497.49	Contact RSM
FP5061B/L	ARK-501+, BLACK, 120", CABLE	503.67	Contact RSM
FP5061M	FlexPass™ Keypad Reader ARK-501+ Black 3x4 Matrix Reader	497.49	Contact RSM
FP5067B	FlexPass™ Keypad Reader ARK-501+ Beige Buffered or 8-Bit Burst Reader	497.49	Contact RSM
FP5067M	FlexPass™ Keypad Reader ARK-501+ Beige 3x4 Matrix Reader	497.49	Contact RSM
FP5071B	FlexPass™ Keypad Heavy Duty Metal Black Buffered or 8-Bit Burst Reader	396.55	Contact RSM
FP5071B/L	KEYPAD, READER, METAL, BLACK, W/120", CABLE	402.73	Contact RSM
FP5077B	FlexPass™ Keypad Heavy Duty Metal Beige Buffered or 8-Bit Burst Reader	396.55	Contact RSM
FP5077B/L	KEYPAD, READER, METAL, BEIGE, W/120", CABLE	402.73	Contact RSM
KIT-AFP1000	KIT, AFP1000, UPGRADE	612.85	Contact RSM

Pricing for: 0: 0



## 2.3 - Indala 125 kHz Proximity Access Control Products

USD

### Notes: LW/LV Rev. 0114A

- Prices are in U.S. dollars. Taxes and shipping not included.
- Credentials are available with an optional external inkjet number. Refer to the "How to Order Guide" for ordering instructions.
  - \* Laser engraved external number is available on PVC thin cards for an additional charge, please refer to section 2.5 for pricing.
- Cards are available with an optional slot punch. Some dye sublimation printers cannot accommodate pre-slot punched cards. Please consult with the printer manufacturer prior to ordering.
- Minimum order quantity is 100 for all standard proximity cards, keys & tags, 500 for custom cards or cards with custom artwork. Consult factory for minimum order quantity and price quote on all custom tags/keys; & Clamshell cards with solid color base.
- Cards are available with an optional Debitek stripe, signature panel, or magnetic stripe for an additional charge, please refer to section 2.5 for pricing. Standard magnetic stripe is 3 Tracks 4000 OE, other magnetic stripes are available. Please consult factory.
- All orders are final. For details on changes or cancellations, please see HID General Sales Policy.
- Above listed prices do not include Contact Smart Chip Module.
- New marking label codes (Part # SH-003). Please refer to section 2.5 for pricing.
- Marking location limited to: ISO = Back Side Position 3, KEY = Back Side on marking strip, CRD = Flat or Embossed Side, Position 1 or 3.
- FlexPass™ ProxSmith™ Application Programming Interface units are subject to license agreement.
- For a list of all other Credential Options, please refer to the New HID Global "**Managed Services**" Price Book.

All other trademarks are the property of their respective owners.

Confidential & Proprietary © 2014 HID Global Corporation. All rights reserved. This document and the information contained herein may not be distributed or published without the express authorization of HID Global.



## 2.5 - 125 kHz Proximity Accessories

Part No.	Description	USD	
		List Price	0.00% Unit Price
<b>ProxPro Reader Accessories</b>			
5455AGM00	Glass Mount Kit, ProxPro and ProxPro II Readers	18.00	Contact RSM
5350-113-01	Bezel, ProxPro Reader with Keypad (Rev. A) - Charcoal Gray	11.00	Contact RSM
5350-113-02	Bezel, ProxPro Reader (Rev. A) - Charcoal Gray	11.00	Contact RSM
5350-113-03	Bezel, ProxPro Reader with Keypad (Rev. A) - Beige	11.00	Contact RSM
5350-113-04	Bezel, ProxPro Reader (Rev. A) - Beige	11.00	Contact RSM
5355A-302-01	Cover, ProxPro w/Keypad Reader (Rev. A) - Charcoal Gray	30.00	Contact RSM
5355A-302-02	Cover, ProxPro Reader (Rev. A) - Charcoal Gray	30.00	Contact RSM
5355A-302-03	Cover, ProxPro w/Keypad Reader (Rev. A) - Beige	30.00	Contact RSM
5355A-302-04	Cover, ProxPro Reader (Rev. A) - Beige	30.00	Contact RSM
5350-101-01	Base, ProxPro Reader (Rev. A) - Charcoal Gray	30.00	Contact RSM
5350-101-02	Base, ProxPro Reader (Rev. A) - Beige	30.00	Contact RSM
5355A-306-01	ProxPro Keypad assembly upgrade, "K" Version, (Rev. A) - Gray Cover only	260.00	Contact RSM
5355A-306-02	ProxPro Keypad assembly upgrade, "K" Version, (Rev. A) - Beige Cover only	260.00	Contact RSM
5355A-306-03	ProxPro Keypad assembly upgrade, "S" Version, (Rev. A) - Gray Cover only	260.00	Contact RSM
5355A-306-04	ProxPro Keypad assembly upgrade, "S" Version, (Rev. A) - Beige Cover only	260.00	Contact RSM
5355A-306-05	ProxPro Keypad assembly upgrade, "K" Version, (Rev. A) - Gray Cover and Bezel	270.00	Contact RSM
5355A-306-06	ProxPro Keypad assembly upgrade, "K" Version, (Rev. A) - Beige Cover and Bezel	270.00	Contact RSM
5355A-306-07	ProxPro Keypad assembly upgrade, "S" Version, (Rev. A) - Gray Cover and Bezel	270.00	Contact RSM
5355A-306-08	ProxPro Keypad assembly upgrade, "S" Version, (Rev. A) - Beige Cover and Bezel	270.00	Contact RSM
5455-311-01	Cover, ProxPro II Reader (Rev. B) - Charcoal Gray (No Bezel Required)	30.00	Contact RSM
5455-311-02	Cover, ProxPro II Reader (Rev. B) - Beige (No Bezel Required)	30.00	Contact RSM
5455-311-03	Cover, ProxPro II Reader (Rev. B) - Black (No Bezel Required)	30.00	Contact RSM
5455-311-04	Cover, ProxPro II Reader (Rev. B) - White (No Bezel Required)	30.00	Contact RSM
30-0003-01	Rubber Keypad Cover, ProxPro Reader (Rev. A)	30.00	Contact RSM
137-0005-11	Connector Feed Back Nut and Washer, ProxPro Reader (Rev. A)	2.50	Contact RSM
<b>MiniProx Reader Accessories</b>			
5365-371-01	Classic cover, MiniProx Reader (Rev. E) - Charcoal Gray	20.00	Contact RSM
5365-371-02	Classic cover, MiniProx Reader (Rev. E) - Beige	20.00	Contact RSM
5365-371-03	Classic cover, MiniProx Reader (Rev. E) - Black	20.00	Contact RSM
5365-371-04	Classic cover, MiniProx Reader (Rev. E) - White	20.00	Contact RSM
5365-372-01	Designer cover, MiniProx Reader (Rev. E) - Black	20.00	Contact RSM
5365-372-02	Designer cover, MiniProx Reader (Rev. E) - Charcoal Gray	20.00	Contact RSM
5365-372-04	Designer cover, MiniProx Reader (Rev. E) - Wave Blue	20.00	Contact RSM
5365-372-05	Designer cover, MiniProx Reader (Rev. E) - White	20.00	Contact RSM
<b>ThinLine II Readers Accessories</b>			
5395-104-01	Classic cover, ThinLine II Reader (Rev. C) - White	30.00	Contact RSM
5395-104-02	Classic cover, ThinLine II Reader (Rev. C) - Beige	30.00	Contact RSM
5395-104-03	Classic cover, ThinLine II Reader (Rev. C) - Black	30.00	Contact RSM
5395-104-04	Classic cover, ThinLine II Reader (Rev. C) - Charcoal Gray	30.00	Contact RSM
5395-371-01	Designer cover, ThinLine II Reader (Rev. C) - Black	30.00	Contact RSM
5395-371-02	Designer cover, ThinLine II Reader (Rev. C) - Charcoal Gray	30.00	Contact RSM
5395-371-04	Designer cover, ThinLine II Reader (Rev. C) - Wave Blue	30.00	Contact RSM
5395-371-05	Designer cover, ThinLine II Reader (Rev. C) - White	30.00	Contact RSM
<b>Prox80 Reader Accessories</b>			
5405-103-02	Classic cover, Prox80 Reader - Gray	30.00	Contact RSM
5405-103-05	Classic cover, Prox80 Reader - White	30.00	Contact RSM
<b>MaxiProx Reader Accessories</b>			
5370A-305-01	Cover, MaxiProx Reader (Rev. A) - Gray	60.00	Contact RSM
5375-303-01	Accessory Kit, MaxiProx Reader (Old wiring Diagram)	30.00	Contact RSM
5375-313-01	Accessory Kit, MaxiProx Reader (New wiring Diagram) DFM	30.00	Contact RSM
56-0002-01	MaxiProx Reader Rubber Gasket (Rev. A)	15.00	Contact RSM
<b>ProxPoint Plus Reader Accessories</b>			
6005-111-01	Classic cover, ProxPoint Plus Reader (Rev. B) - White	15.00	Contact RSM
6005-111-02	Classic cover, ProxPoint Plus Reader (Rev. B) - Beige	15.00	Contact RSM
6005-111-03	Classic cover, ProxPoint Plus Reader (Rev. B) - Black	15.00	Contact RSM
6005-111-04	Classic cover, ProxPoint Plus Reader (Rev. B) - Charcoal Gray	15.00	Contact RSM
6005-312-01	Designer cover, ProxPoint Plus Reader (Rev. B) - Black	15.00	Contact RSM
6005-312-02	Designer cover, ProxPoint Plus Reader (Rev. B) - Charcoal Gray	15.00	Contact RSM
6005-312-04	Designer cover, ProxPoint Plus Reader (Rev. B) - Wave Blue	15.00	Contact RSM
6005-312-05	Designer cover, ProxPoint Plus Reader (Rev. B) - White	15.00	Contact RSM



## 2.5 - 125 kHz Proximity Accessories

Part No.	Description	USD	
		List Price	0.00% Unit Price

**EntryProx Reader Accessories**

4045-RFL	Hewlett-Packard Printer Paper, (HP Product # 82175A, For use with Infrared Printer, (six rolls)	49.90	Contact RSM
4045-SD	SimpleTech Secure Digital Card 512MB	50.00	Contact RSM
4045-303-01	EntryProx Reader Replacement Antenna <sup>6</sup>	80.00	Contact RSM
04-0001-03	Security Tool, Interchangeable bit for installation of tamper, resistant screws. A tamper resistant screw is included with each EntryProx reader.	5.00	Contact RSM
4045-390-03	EntryProx Spare Parts Accessories Kit	50.00	Contact RSM

**Indala Products Accessories**

21211-001	Enclosure Base, ASR-620	40.00	Contact RSM
21212-001	Enclosure Cover, ASR-620++	40.00	Contact RSM
BIL-422-232	RS232/432 Protocol Adaptor	92.00	Contact RSM
21138-001	Bezel, ARK501 Indala Keypad reader, Black	14.00	Contact RSM
FPZ1231A	Bezel Wave Style, Midrange Type, Black	20.00	Contact RSM
FPZ1234A	Bezel Wave Style, Midrange Type, Blue	20.00	Contact RSM
FPZ1511A	Bezel Wave Style, Slim Type, Black	14.00	Contact RSM
FPZ1514A	Bezel Wave Style, Slim Type, Blue	14.00	Contact RSM
FPZ1521A	Bezel Wave Style, Wallswitch Type, Black	14.00	Contact RSM
FPZ1524A	Bezel Wave Style, Wallswitch Type, Blue	14.00	Contact RSM
FPZ2511A	Bezel Curve Style, Slim Type, Black	14.00	Contact RSM
FPZ2521A	Bezel Curve Style, Wallswitch Type, Black	14.00	Contact RSM
FPZ3231A	Bezel Arch Style, Midrange Type, Black	20.00	Contact RSM
FPZ3235A	Bezel Arch Style, Midrange Type, Grey	20.00	Contact RSM
FPZ3236A	Bezel Arch Style, Midrange Type, White	20.00	Contact RSM
FPZ3237A	Bezel Arch Style, Midrange Type, Beige	20.00	Contact RSM
FPZ3511A	Bezel Arch Style, Slim Type, Black	14.00	Contact RSM
FPZ3515A	Bezel Arch Style, Slim Type, Grey	14.00	Contact RSM
FPZ3516A	Bezel Arch Style, Slim Type, White	14.00	Contact RSM
FPZ3517A	Bezel Arch Style, Slim Type, Beige	14.00	Contact RSM
FPZ3521A	Bezel Arch Style, Wallswitch Type, Black	14.00	Contact RSM
FPZ3525A	Bezel Arch Style, Wallswitch Type, Grey	14.00	Contact RSM
FPZ3526A	Bezel Arch Style, Wallswitch Type, White	14.00	Contact RSM
FPZ3527A	Bezel Arch Style, Wallswitch Type, Beige	14.00	Contact RSM
FPZ4511A	Bezel Linear Style, Slim Type, Black	14.00	Contact RSM
FPZ-4511A	Bezel Linear Slim Black Cover	14.00	Contact RSM
FPZ4517A	Bezel Linear Style, Slim Type, Beige	14.00	Contact RSM
FPZ4521A	Bezel Linear Style, Wallswitch Type, Black	14.00	Contact RSM
FPZ4525A	Bezel Linear Style, Wallswitch Type, Grey	14.00	Contact RSM
FPZ4526A	Bezel Linear Style, Wallswitch Type, White	14.00	Contact RSM
FPZ4527A	Bezel Linear Style, Wallswitch Type, Beige	14.00	Contact RSM
FPZ4551A	Bezel Linear Style, Slim Type, Black	14.00	Contact RSM
FPZC1511A	Bezel, Blank, Wave, Slim, 5", Black	14.00	Contact RSM
FPZC1514A	Bezel, Blank, Wave, Slim, 5", Blue	14.00	Contact RSM
FPZ3521H	Bezel Arch Style, Wallswitch Type, Black (HID)	14.00	Contact RSM
FPZ3527H	Bezel Arch Style, Wallswitch Type, Beige (HID)	14.00	Contact RSM
FPZC1511H	Bezel, HID, Wave, Slim, 5", Black	14.00	Contact RSM
FPZC1514H	Bezel, HID, Wave, Slim, 5", Blue	14.00	Contact RSM
FPZC1521H	Bezel Cover, Wave, Wall Switch Reader - Black	14.00	Contact RSM
FPZC1524H	Bezel, HID, Wave, Wallswitch, 5", Blue	14.00	Contact RSM
FPZ3511H	Bezel Cover, Arch Slim Reader - Black	14.00	Contact RSM
FPZ3517H	Bezel Cover, Arch Slim Reader - Beige	14.00	Contact RSM
KIT-AFP1000-2005	Kit, AFP1000-2005, Upgrade	800.00	Contact RSM
KIT-AFP1000-2005-A/R	Kit, AFP1000 Advance Replacement	800.00	Contact RSM
XXZ112	Bezel, Wave, Slim, 5", Blue	14.00	Contact RSM
XXZ122	Bezel, Wave, W/S, 5", Blue	14.00	Contact RSM
XXZ321	Bezel, Arch, W/S, Black	14.00	Contact RSM
SH-003	Indala Credentials Special Handling, New marking label codes	500.00	Contact RSM



## 2.5 - 125 kHz Proximity Accessories

Part No.	Description	USD	
		List Price	0.00% Unit Price
<b>Card Accessories</b>			
Magnetic Stripe	Adder to PVC cards: High or Low Coercivity, 2750 Orsted, BASF, JIS, or 3M	1.10	Contact RSM
Signature Panel	Adder to all PVC card prices: Signature Panel Per Side	1.10	Contact RSM
Composite Cards	Adder to PVC card prices: Composite 40% Polyester + 60% PVC	0.40	Contact RSM
Laser Engraving	Adder to PVC card prices: Laser engraved external number	0.20	Contact RSM
Credential Discounts	Discount for non-programmed 125 kHz Credentials: 1x36N, 1346N, 1x86N		Contact RSM
Credential Discounts	Discount for non-programmed 125 kHz Credentials: 1326N, 1390N and 1391N		Contact RSM
1324Gxxxx	Direct image PVC Glossy label (adhesive or non-adhesive back)	0.98	Contact RSM
1324CAN10	Clear guard card protection label for use with all direct image cards	0.98	Contact RSM
1321	Adhesive Photo Pouch	1.30	Contact RSM
400 kHz frequency	Adder to ProxCard II cards: 400 kHz High Frequency	0.50	Contact RSM
<b>Card Options</b>			
LC-0011	Card expedite fee, 100 to 250 cards (Consult your CSR for availability)	200.00	Contact RSM
LC-0012	Card expedite fee, 251 to 500 cards (Consult your CSR for availability)	500.00	Contact RSM
MC-1000	Corporate 1000 Format programming fee (per credential)	0.30	Contact RSM
<b>Other</b>			
Long Pigtail	Adder: ProxPro II, MiniProx, ThinLine and ProxPoint Plus Readers with 9 feet/3 meters pigtail	12.00	Contact RSM
6020-302-01	HSM accessory Kit	30.00	Contact RSM
MC-0038	Reprogramming fee for Physical Access iCLASS, HID Prox, Indala Prox or SmartID Reader	30.00	Contact RSM
Custom Readers	Custom readers and custom firmware Chip - <b>Verify Programming with Technical Support</b>	130.00	Contact RSM

**Notes: AC Rev. 0114A**

- Prices are in U.S. dollars. Taxes and shipping not included.
- Products listed are subject to availability. Please contact HID for availability and lead-time.
- An EntryProx antenna is included with the purchase of the EntryProx reader. Additional antennas are available for replacement parts.
- For a list of all other Credential Options, please refer to the New HID Global "**Managed Services**" Price Book.

All trademarks and registered trademarks are the properties of their respective companies.

Confidential & Proprietary © 2014 HID Global Corporation. All rights reserved. This document and the information contained herein may not be distributed or published without the express authorization of HID Global.



## 4.0 - Magnetic Stripe Products

Part No.	Model No.	Description	USD	
			List Price	0.00% Unit Price

**Magnetic Stripe Readers (Not Available in Europe, Middle East and Africa)**

3110-6444	644	White, pass-through magnetic stripe card reader, ABA/ANSI or EMPI card data, indoor or outdoor, pigtail, track 1 or 2, clock & data or Wiegand; 26, 34 or all bits output.	258.00	Contact RSM
3110-6444-C	644	White, weatherproof, pass-through magnetic stripe card reader, ABA/ANSI or EMPI card data, transmits clock & data or Wiegand; 26, 34 or all bits, indoor and outdoor use pigtail, track 1 or 2. <b>Long Life Ceramic Head.</b>	438.00	Contact RSM
3110-6445	644	Black, pass-through magnetic stripe card reader, ABA/ANSI or EMPI card data, indoor or outdoor, pigtail, track 1 or 2, clock & data or Wiegand; 26, 34 or all bits output.	258.00	Contact RSM
3110-6445-C	644	Black, pass-through magnetic stripe card reader, ABA/ANSI or EMPI card data, indoor or outdoor, pigtail, track 1 or 2, clock & data or Wiegand; 26, 34 or all bits output. <b>Long Life Ceramic Head.</b>	438.00	Contact RSM

**Credentials and Services**

1100-0158		White Graphics Quality, Blended Magnetic Stripe card (60% PVC, 40% Polyester), with a Non-Encoded magnetic stripe, & no external number.	1.44	Contact RSM
1100-0160		White Graphics Quality, PVC Photo Identification Card, no magnetic stripe	0.12	Contact RSM
1100-3008		Proximity Key Fob, Non-Encoded.	6.48	Contact RSM
1100-4444		Standard Proximity (Clamshell) card Non-Encoded, Cards are 2.125" x 3.375", vertical slot punched.	3.72	Contact RSM
2310-0034		Slot punch (per card) - must specify location.	0.30	Contact RSM
2310-0035		Laser engraved Number (per card).	0.30	Contact RSM
2310-0037		Inkjet Number (per card).	0.30	Contact RSM
3114-0157		White Graphics Quality PVC Magnetic Stripe Card, with a Non-Encoded magnetic stripe, & no external number.	0.70	Contact RSM
3114-2294		White Graphics Quality PVC/Polyester Blend Magnetic Stripe Card with ABA Encoding & Card Numbering.	2.87	Contact RSM
3114-2296		White Graphics Quality PVC Magnetic Stripe Card with <b>Corp 1000 Program</b> , EMPI Encoding & Card Numbering.	2.12	Contact RSM
3114-2298		White Graphics Quality PVC Magnetic Stripe Card with ABA Encoding & Card Numbering.	2.12	Contact RSM
3114-2299		White Graphics Quality PVC/Polyester Blend Magnetic Stripe Card with <b>Corp 1000 Program</b> , EMPI Encoding & Card Numbering.	2.87	Contact RSM
3114-3000		Handling Charge, Customer Card Encoding, per card. Use 2310-0032 Encoding Service also.	0.48	Contact RSM
3114-3008		Proximity Key Fob (Proxi 10 or EMPI Formats), Encoding & Card Numbering.	6.60	Contact RSM
3114-4444		Standard Proximity (Clamshell) card (Proxi 10 or EMPI formats), Encoding & Card Numbering. Cards are 2.125" x 3.375", vertical slot punched.	3.84	Contact RSM
3114-4451		Proximity PVC card, Graphics Quality (Proxi10, EM or EMPI formats), Encoding and Card Numbering.	6.12	Contact RSM
3114-4452		Proximity PVC card with magnetic stripe, Graphics Quality (Proxi 10, EM or EMPI formats), (encoding on the magnetic stripe extra, see 2310-0032).	6.24	Contact RSM
3114-4453		HID Proximity PVC card with magnetic stripe, Graphics Quality, HID Format Programming, EMPI Magnetic Stripe Encoding, and Card Numbering.	6.54	Contact RSM
3114-4454		HID Proximity PVC card with magnetic stripe, Graphics Quality, HID Format Programming, ABA/ISO Magnetic Stripe Encoding, and Card Numbering.	6.36	Contact RSM

**Notes: MS Rev. 0114A**

- Prices are in U.S. dollars. Taxes and shipping not included.
- Refer to the HID General Sales Policy for the minimum acceptable order amount.

**Reader Notes:**

- All readers are available in Wiegand output.
- Refer to the "How to Order Guide" for all available/discontinued part numbers and options. Consult factory for availability.
- Custom readers (including custom firmware chip) are available for an additional charge, please refer to section 2.5 for pricing; Former "S" designation.

**Card/Key Notes:**

- Credentials are available with an optional external inkjet number. Refer to the "How to Order Guide" for ordering instructions.
  - \* Laser engraved external number is available on PVC ISO standard size cards at an additional charge (Part # 2310-0035).
- Price includes a slot punch for most cards at no additional charge. Some dye sublimation printers cannot accommodate pre-slot punched cards. Please consult with the printer manufacturer prior to ordering.
- Minimum order quantity is 100 for all standard Cards and Keys, 500 for custom cards or cards with custom artwork. Consult factory for minimum order quantity and Price Quote on all custom keys & clamshell cards with solid color base.
- Standard magnetic stripe is 3 Tracks 2750 OE. Other magnetic stripes may be available, please consult factory.
- All card/key orders are final. For details on changes or cancellations, please see HID General Sales Policy.
- HID will encode 10 digit Data Configuration on all cards ordered for use with the HID magnetic stripe readers unless instructed otherwise.

For all other Non-HID magnetic stripe readers, please specify data configuration.

All other trademarks are the property of their respective owners.

Confidential & Proprietary © 2014 HID Global Corporation. All rights reserved. This document and the information contained herein may not be distributed or published without the express authorization of HID Global.

Pricing for: 0: 0



## 6.1 - Credential Printing and Security Features

Please refer to the New "**Managed Services**" Price Book for a full list of all available Credential options.  
Contact your HID Representative.





## 7.0 - Edge™ Solo

IP-based, stand-alone single door access control solution with and without integrated reader

### Edge Solo

83000	EdgePlus Solo ES400, IP-based, stand-alone single door access control solution
83120	EdgeReader Solo ESR40, IP-based, stand-alone single door access control solution with integrated R40 reader
83125	EdgeReader Solo ESRP40, IP-based, stand-alone single door access control solution with integrated RP40 reader

### Edge Solo Kits

K83000BKE-RC	IP-based, Stand-alone access control kit. Includes (1) EdgePlus Solo ES400 with (1) R15 and (20) iCLASS 2K Cards (with 37bit H10302 Format)
K83000BKE-RK	IP-based, Stand-alone access control kit. Includes (1) EdgePlus Solo ES400 with (1) R15 and (10) iCLASS 2K Keyfobs (with 37bit H10302 Format)
K83000BKE-PC	IP-based, Stand-alone access control kit. Includes (1) EdgePlus Solo ES400 with (1) RP15 and (20) iCLASS 2K Cards (with 37bit H10302 Format)
K83000BKE-PK	IP-based, Stand-alone access control kit. Includes (1) EdgePlus Solo ES400 with (1) RP15 and (10) iCLASS 2K Keyfobs (with 37bit H10302 Format)
K83120AKI000-C	IP-based, Stand-alone access control kit. Includes (1) EdgeReader Solo ESR40 with (20) iCLASS 2K Cards (with 37bit H10302 Format)
K83120AKI000-K	IP-based, Stand-alone access control kit. Includes (1) EdgeReader Solo ESR40 with (10) iCLASS 2K Keyfobs (with 37bit H10302 Format)
K83125BKI000-C	IP-based, Stand-alone access control kit. Includes (1) EdgeReader multiCLASS Solo ESRP40 with (20) iCLASS 2K Cards (with 37bit H10302 Format)
K83125BKI000-K	IP-based, Stand-alone access control kit. Includes (1) EdgeReader Solo multiCLASS ESRP40 with (10) iCLASS 2K Keyfobs (with 37bit H10302 Format)

### Cards and Keyfobs

2000PCGMV-EDGE	(20) EdgeSolo logo iCLASS 2K Cards (Programmed with 37bit H10302 Format) Price shown per Card - Ordered in multiples of 20.
2050PKNMN-EDGE	(10) iCLASS 2K Keyfobs (Programmed with 37bit H10302 Format) Price shown per Keyfob - Ordered in multiples of 10.

### Accessories

82000-303-09	EDGE Hardware Accessory kit
--------------	-----------------------------

USD	
List Price	0.00% Unit Price
400.00	Contact RSM
450.00	Contact RSM
492.00	Contact RSM

575.00	Contact RSM
602.00	Contact RSM
598.00	Contact RSM
624.00	Contact RSM
482.00	Contact RSM
509.00	Contact RSM
525.00	Contact RSM
551.00	Contact RSM

4.95	Contact RSM
6.43	Contact RSM

List Price	0.00% Unit Price
26.50	Contact RSM

### Notes: VS Rev. 0114A

- Prices are in U.S. dollars. Taxes and shipping not included.
  - Refer to the "How to Order Guide" for all available part numbers and options.
  - Above Credentials are programmed with HID's 37-bit Wiegand format (H10302). HID tracks the issuance of this format and does not duplicate numbers.
- Confidential & Proprietary © 2014 HID Global Corporation. All rights reserved. This document and the information contained herein may not be distributed or published without the express authorization of HID Global.



## 9.0 - Professional Services

Part No.	Description	USD
		List Price
PS01-PACS	Professional Services - Consulting - Project Assurance - Scoping & Planning	Contact RSM
PS11-PACS	Professional Services - Consulting - Project Management	Contact RSM
PS21-PACS	Professional Services - Consulting - Scoping & Planning	Contact RSM
PS31-PACS	Professional Services - Implementation - Solution Integration	Contact RSM
PS32-PACS	Professional Services - Implementation - Secure Identity Customization	Contact RSM
PS32M-PACS	Professional Services - Implementation - Secure Identity Customization Maintenance	Contact RSM
PS35-PACS	Professional Services - Implementation - Custom Software	Contact RSM
PS35M-PACS	Professional Services - Implementation - Custom Software Maintenance	Contact RSM
PS42-PACS	Professional Services - Implementation - Solution Deployment	Contact RSM
PS43-PACS	Professional Services - Implementation - Custom Training	Contact RSM
PS56-PACS	Professional Services - Consulting - Project Assurance - Solution Accreditation	Contact RSM
PS61-PACS	Professional Services - Implementation - Project Support - T&M based	Contact RSM
PS62-PACS	Professional Services - Dedicated - Operational Assistance - Period based	Contact RSM
PS63-PACS	Professional Services - Dedicated - Operational Assistance - T&M based	Contact RSM
PSTE-PACS	Travel expenses related to PS engagement	Contact RSM

**Notes: PS Rev. 0114A**

- Prices are in U.S. dollars. Taxes and shipping not included.

Confidential & Proprietary © 2014 HID Global Corporation. All rights reserved. This document and the information contained herein may not be distributed or published without the express authorization of HID Global.